



TYLER COUNTY COMMISSIONERS COURT

County Courthouse, Room 101 / Woodville, Texas

Joe Blacksher
Commissioner, Pct. 1

Stevan Sturrock
Commissioner, Pct. 2

Jacques L. Blanchette
County Judge

Mike Marshall
Commissioner, Pct. 3

Charles "Buck" Hudson
Commissioner, Pct. 4

2021 AGENDA REQUEST FORM

Item(s) for *Consideration, Information*

In accordance with the State Open Meetings Act Section 551.001(3)(B) supported by Attorney General Opinion DM-228, **consideration does not guarantee placement on the agenda.**

For Preparation and Posting

All Agenda Requests must be received by **11:00AM the Thursday prior to the meeting.**

Items received after deadline may be placed on the next agenda.

Jan. 11 ___	June 14 ___	Sept. 13 ___
Feb. 8 ___	July 12 ___	Sept. 20 ___
Mar. 8 <u>X</u>	Aug. 9 ___	Sept. 27 ___
Apr. 12 ___	Aug. 23 ___	Oct. 18 ___
May 10 ___	Aug. 30 ___	Nov. 15 ___
	Sept. 7 ___	Dec. 13 ___

Request made by:

Name	Joe Blacksher
Office/Organization	Comm. Pct. 1
Contact Information	409-283-7013

Request Information:

Consider/Approve: Lease/Purchase of 2022 Mack Truck with a Dump Bed from Bruckner's through state pre-approved bid through First National Bank Leasing, Wichita Falls, TX for Pct. #1

Request Type: Consider/Approve or Informational Presentation (circle one) **Documentation Attached:** yes no (circle one)

The governmental body is responsible for the content of the agenda (Statute 551.041), therefore, **the SIGNATURE of a member of Commissioners Court is REQUIRED** for all items on the agenda.

Member of Commissioners Court: Joseph P. Blacksher

Commissioners Court Coordinator: Kelly Jobe
Deputy Clerk
Fax: 409-283-8049
Email: commissionersagenda.cc@co.tyler.tx.us



Bruckner Truck Sales, Inc. Retail Proposal

Date: **February 8, 2021**

CUSTOMER INFORMATION

Name: **Tyler County Pct #1**
 Name:
 Address: **100 W Bluff St Rm #203**
 CSZ: **Woodville, TX 75979**
 Phone: **409-331-8109** Cell: **409-790-4149**
 Fax: Contact: **Joe Blacksher**
 Email: **jblacksher@co.tyler.tx.us**

EQUIPMENT INFORMATION

Stock #:
 Year: **2022**
 Make: **Mack**
 Model: **PI64R**
 VIN: **1M2PN4GC4NM009612**
 Salesperson: **Josh Phillips**

EQUIPMENT SPECIFICATIONS

Engine Make:	Mack MP8-445C	Wheelbase:	212" w/ 120" Clear CT
Horsepower:	445hp w/ 1860 Lb-ft Torque	Frame:	9.5mm Steel w/ 2,470,000 Lb-in RBM
Engine Brake:	Yes - Mack Powerleash For MP8	Interior Trim:	Standard Steel Gray (Package 11A)
Transmission:	Mack TMD13AFOHD - mDrive 13-Spd HD	Wheels Front:	Alcoa Clean Buff Aluminum
Front Axle:	Mack FXL14.6 - 14,600# w/ Disc Brakes	Wheels Rear:	Alcoa Clean Buff Aluminum
Rear Axle:	Mack S440 - 44,000# w/ Disc Brakes	Tire Size:	11R24.5
Rear Suspension:	Mack SS440 - 44,000# Camelback	Tire Front:	Bridgestone R268 Ecopia
Ratio:	3.11	Tire Rear:	Bridgestone M799

Chassis Includes the Following Local Extras:
 New Truck Prep
 Ox Bodies Maverick 15' 14-16yd Dump Body With
 Electric Tarp, & 45-ton Pintle Hitch w/ Air & Electric
 Ran To EOF.
 FOB: Bruckner's - Wichita Falls, TX

Extended Warranties Included	Truck Purchased Using Grande Truck Center's HGAC
Engine Plan 2 - 5yr/250k Miles - \$2,659	HGAC Contract #HT06-20. All PO's & Payments
EATS - 5yr/250k Miles - \$962	To Be Made To Grande Truck Center. HGAC Fee
HVAC - 5yr/Unlimited Miles - \$803	Included.

			Each	Multiple Total
Trade-In Information:	Trade 1:	Trade 2:	\$140,493.00	\$140,493.00
Allowances:			-	
VIN:				
Year:				
Make:				
Model:				
Payoff:				
Quantity	1	Price before TTL	140,493.00	
OTHER CHARGES:				
Title, and License Fees (Estimated):			-	-
Purchase Coverage	Type: See Coverage Terms Above		4,424.00	4,424.00
Insurance	Type: _____		-	-
Dealer Inventory Tax and Doc Fees:			300.00	300.00
Cash Down Payment:				
TOTAL:			\$145,217.00	\$145,217.00

Dealer Signature: _____ Customer Signature: _____
 Date: _____ Date: _____

A documentary fee is not an official fee. A documentary fee is not required by law, but may be charged to buyers for handling documents and performing services relating to the closing of a sale. A documentary fee may not exceed \$50 for a motor vehicle contract or a reasonable amount agreed to by the parties for a heavy commercial vehicle contract. This notice is required by law.

DATE

2/19/2021

QUOTE INFORMATION

BRUC2021000054F213

PINNACLE 64R DAYCAB

Qty: 1

PREPARED BY

BRUCKNER TRUCK SALES,
INC.

4520 NW FRWY

WICHITA FALLS

TX 76306

PREPARED FOR

COUNTY OF TYLER

100 W BLUFF ST RM 203

WOODVILLE

TX 759795246

PROPOSAL



Bruckner's
Since 1932



MACK



Bruckner's
Since 1932

DATE

2/19/2021

QUOTE INFORMATION

BRUC2021000054F213

PINNACLE 64R DAYCAB

Qty: 1

PREPARED BY

BRUCKNER TRUCK SALES,
INC.

4520 NW FRWY
WICHITA FALLS

TX 76306

PREPARED FOR

COUNTY OF TYLER

100 W BLUFF ST RM 203

WOODVILLE

TX 759795246

Thank you for giving us this opportunity to provide a quote.

This proposal contains the complete specification and performance details of the Mack model configured for your application. Every proposed spec from Mack is prepared with lowest total cost of ownership and highest return on investment as the key objectives for our customers.

This reflects Mack's focus on application excellence to deliver uptime and fuel economy, reduced maintenance, driver satisfaction, productivity and high resale value. The enclosed spec and recommendations have been carefully designed to meet all these objectives.

Beyond the technical specifications contained in this proposal, it's important to remember that each Mack truck is backed by Mack Connect, the industry's leading uptime and productivity solution, plus a coast-to-coast network of dealer service locations. I think that after reviewing this proposal you will realize why Mack is "The American Truck You Can Count On."

I look forward to meeting with you and to discuss any questions you might have regarding this proposal.

Yours sincerely

JOSH PHILLIPS

BRUCKNER TRUCK SALES, INC.

PRICELIST DATE

20210104

QUOTATION

BRUC2021000054F213

DATE

2/19/2021

PAGE

2 of 13

CUSTOMER NAME

COUNTY OF TYLER

DEALER NAME

BRUCKNER TRUCK SALES, INC.

MACK



Bruckner's
Since 1932

TECHNICAL SPECIFICATION PINNACLE 64R DAYCAB

CUSTOMER/VEHICLE INFO	DESCRIPTION	WEIGHT (LB)	
		FRONT	REAR
S CHASSIS (BASE MODEL)	PINNACLE 64R DAYCAB	5,214	2,351
S ASSEMBLY PLANT	Made in Macungie, PA USA	0	0
	CUSTOMER FLEET SIZE	0	0
	DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE BRAND	0	0
S TYPE OF SERVICE	COMMERCIAL	0	0
S WARRANTY REGISTRATION LOCATION	US - WARRANTY REGISTRATION LOCATION	0	0
S INITIAL REGISTRATION LOCATION	ALL 50 STATES, CARB ENGINE EMISSION (US17 / US21 / ZERO EMISSION)	0	0
S LANGUAGE-PUBS/DECAL/SIGNS	ENGLISH	0	0
	VEHICLE USE & BODY/TRAILER TYPE	0	0
	DUMP TRUCK	0	0
	TRAILER TYPE	0	0
	FIXED DRAWBAR TRAILER AND CENTERED AXLES	0	0
S TRANSPORT CYCLE	LOCAL DISTRIBUTION	0	0
	GROSS COMBINATION WEIGHT	0	0
	80,000 LB (36 TONNES) GROSS COMBINATION WEIGHT	0	0
S BRAKE REGULATION	BRAKE REGULATION, STOPPING DISTANCE 94M (310FT)	0	0
	TOPOGRAPHY	0	0
	GRADES <6% GREATER THAN 98% OF DRIVING DISTANCE MAX GRADE 16%	0	0
S AMBIENT TEMP UPPER LIMIT (GTA)	AMBIENT TEMPERATURE HOT. WARMER THAN 104 F (40 C) ALLOWED UP TO 25 HOURS PER YEAR	0	0
S TERRAIN GRADE	ON HIGHWAY, STARTING GRADES<16%	0	0
S LOADING SURFACE	CONCRETE LOADING AND / OR UNLOADING SURFACE	0	0
S VEHICLE VOCATION	LINEHAUL / LONG HAUL SERVICE	0	0

ENGINE/TRANSMISSIONS	DESCRIPTION	WEIGHT (LB)	
		FRONT	REAR
	MP8-445C MACK 445HP @ 1300-1700 RPM (PEAK) 1950 RPM (GOV) 1860 LB-FT, US'21	2,165	541
S GEAR SELECTION TUNING	BASIC, GEAR-SELECTION TUNING	0	0
	TRANSMISSION	578	192
	MACK TMD13AFO-HD mDRIVE HD 13 SP, CREEPER/ MULTI-SPEED REVERSE (OVERDRIVE)	0	0
S GEARBOX 12TH GEAR LOCK-OUT	WITHOUT 12TH GEARBOX GEAR LOCK-OUT	0	0

TECHNICAL SPECIFICATION (cont.)



EXHAUST/EMISSIONS	DESCRIPTION	WEIGHT (LB)	
		FRONT	REAR
S	CARB 2008 IDLE REGULATION	0	0
S	DPF DIESEL PARTICULATE FILTER	0	0
S	CHASSIS MOUNTED EMISSIONS FINISH	0	0
S	DEF TANK	0	0
S	AD-BLUE TANK VENTILATION FILTER	0	0
	EXHAUST	-35	-17
	EXHAUST STACK HEIGHT	0	0
	EXHAUST SYSTEM MATERIAL FINISH	0	0
	EMISSION ON BOARD DIAG CONTROL	0	0

ENGINE EQUIPMENT	DESCRIPTION	WEIGHT (LB)	
		FRONT	REAR
S	AIR CLEANER	0	0
S	BUG SCREEN	0	0
S	AIR COMPRESSOR/DRYER	0	0
S	AIR DRYER POSITION (CA)	0	0
S	ALTERNATOR	16	0
S	BATTERIES	0	0
S	BATTERY BOX - MOUNTING	0	0
	BATTERY BOX COVER	5	0
	EMERGENCY START CONNECTIONS	7	0
	BATTERY DISCONNECT SWITCH	3	0
S	STARTER MOTOR	31	0
S	ENGINE BRAKE	0	0
S	ENGINE BRAKE LIGHTING (CA)	0	0
S	FAN DRIVE	0	0
	COOLANT PROTECTION	0	0
	RADIATOR TYPE	0	0
	HOSES - RADIATOR/HEATER	3	0
S	FUEL-WATER SEPARATOR	0	0
S	PRIMARY FUEL FILTER POSITION (CA)	0	0
	ENGINE HEATERS	0	0
	ENGINE BLOCK HEATER	5	0
S	OIL PAN	0	0
S	TETHER DEV PKG, CAPS & COVERS	0	0
S	ENGINE STOP, EMERGENCY (CA)	0	0

TECHNICAL SPECIFICATION *(cont.)*



CLUTCH/TRANS EQUIPMENT	DESCRIPTION	WEIGHT (LB)	
		FRONT	REAR
S	GEAR SHIFTER MACK mDRIVE-PREMIUM SHIFTER	0	0
S	CLUTCH ZF/SACHS SINGLE PLATE 17" (430MM) ORGANIC MATERIAL	0	0
S	CLUTCH ACTUATION SYSTEM & PEDAL PAD WITHOUT CLUTCH CABLE SYSTEM	0	0
	DRIVELINE - MAIN MERITOR RPL35-SD, WITH CROSS SERRATED YOKE (PROPS2XL)	23	49
	DRIVELINE - INTERAXLE MERITOR RPL25	0	36
	PROPELLR SHAFT MAIN, UNVSL JNT UNIVERSAL JOINT CROSS SERRATED YOKE	0	0
S	PROP SHAFT INTERAXL UNIV JOINT HALF-ROUND UNIVERSAL JOINT	0	0
S	TRANSMISSION OUTPUT TORQUE TRANSMISSION OUTPUT TORQUE BASIC	0	0
S	BELL HOUSING ALUMINUM	0	0
	LUBRICANTS, TRANSMISSION 75W - 90 (SYNTHETIC LUBRICANT)	0	0
S	TRANSMISSION OIL COOLER MACK mDRIVE TRANSMISSION OIL COOLER MOUNTED LH SIDE OIL TO WATER COOLER	0	0

FRONT AXLE EQUIPMENT	DESCRIPTION	WEIGHT (LB)	
		FRONT	REAR
	FRONT AXLE 14600# (6600 KG) MACK FXL14.6 STRAIGHT SPINDLE/UNITIZED BEARINGS	69	0
	SPRINGS - FRONT MACK TAPERLEAF 14600# (6600 KG) GROUND LOAD RATING, EQUAL BIAS	16	0
	FRONT AXLE BRAKES MERITOR EX+ AIR DISC BRAKES 430MM (17") H-TYPE	25	0
	BRAKE, FRONT FRONT BRAKE DISC LIGHTWEIGHT	23	0
	FRONT BRAKE ADJ. MANUFACTURE AUTOMATIC FOR AIR DISC BRAKES	0	0
	FRONT BRAKE CHAMBER MFG. FRONT BRAKE CHAMBER MANUFACTURER, WABCO	0	0
	HUB MATERIAL, FRONT BASIC HUB UNITIZED IRON, FRONT	106	0
S	STEERING TRW THP60 POWER	64	0
S	LUBRICANTS, FRONT AXLE PETROLEUM/SYNTHETIC (50/50) OIL FRONT AXLE	0	0

REAR AXLE EQUIPMENT	DESCRIPTION	WEIGHT (LB)	
		FRONT	REAR
	REAR AXLES - TANDEM 44000# (20000kg) MACK S440 FABRICATED STEEL HOUSING	0	1,445
S	REAR AXLE CASING WIDTH W/O WIDE TRACK AXLE	0	0
	CARRIER - REAR AXLE CRDP150/151 AVAILABLE WITH OPTIONAL DRIVER CONTROLLED INTERWHEEL DIFFERENTIAL LOCKS, SEE 254 SYMBOL	0	0
	REAR AXLE RATIO 3.11 RATIO	0	0
	REAR SUSPENSION - TANDEM SS440 MACK MULTILEAF (CAMELBACK) 44000# - STANDARD SPRING THICKNESS	0	1,921
	REAR SUSP. BEAM BUSHINGS BRONZE	0	36
	BOGIE SPREAD, REAR 50" AXLE SPACING (BOGIE WHEELBASE)	0	34
	REAR SPRING INSULATOR MAT'L RUBBER SHOCK INSULATORS	0	0
	TRANSVERSE TORQUE RODS, R SUSP TRANSVERSE TORQUE ROD (REAR AXLE ONLY)	0	0
	AUX.PARKING BRAKE CHAMBERS AUXILIARY PARK, TWO EXTRA PARKING BRAKE CHAMBERS	0	31
	BRAKES - REAR MERITOR EX+ AIR DISC BRAKES, 430MM (17") - H TYPE (Total for QTY = 2)	0	75
	BRAKE, DRIVE, REAR BRAKE DRIVE, REAR, DISC LIGHTWEIGHT	0	0
	REAR BRAKE ADJ MANUFACTURE AUTOMATIC SLACK ADJUSTERS FOR REAR AIR DISC BRAKES (Total for QTY = 2)	0	0
	REAR BRAKE CHAMBER SIZE REAR SPRING BRAKE CHAMBERS 24/24 TYPE	0	0
	REAR BRAKE CHAMBER WABCO BRAKE CHAMBERS VENDOR (Total for QTY = 2)	0	0

TECHNICAL SPECIFICATION *(cont.)*



			WEIGHT (LB)	
REAR AXLE EQUIPMENT	DESCRIPTION		FRONT	REAR
S	HUB MATERIAL, DRIVE	ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT	0	212
S	POWER DIVIDER LOCKOUT	POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT	0	40
S	LUBRICANTS, REAR AXLE(s)	FACTORY OPTION LUBE - REAR AXLE	0	0
	TRACTION DIFFERENTIAL	DRIVER CONTROLLED INTER WHEEL DIFFERENTIAL LOCK ALL RR.AXLES W/INDIVIDUAL SWITCHES	0	9
S	ANTILOCK BRAKE SYSTEM	BENDIX WITH TRACTION CONTROL 4S4M	0	0
S	BRAKE VALVE VERSION	BENDIX SWITCHES AND VALVES WHERE POSSIBLE	0	0
S	SPRING BRAKE INVERSION VALVE	TRACTOR SPRING BRAKE INVERSION VALVE	5	0

			WEIGHT (LB)	
FRAME EQUIPMENT/FUEL TANKS	DESCRIPTION		FRONT	REAR
	WHEELBASE	212"	60	60
	AF (OVERHANG)	57"	-6	168
	FRAME RAILS & LINERS	9.5 x 90 x 300mm - (0.37" x 3.54" x 11.81"); RBM 2,470,000 LB-IN	0	0
S	FRONT FRAME LENGTH	Standard Bumper Position	47	-2
S	CROSSMEMBERS	STEEL	0	0
S	REAR CROSSMEMBER OPTIONS	STEEL CLOSING REAR CROSSMEMBER	7	-26
S	REAR FRAME TREATMENT	WITHOUT TAPERED FRAME RAIL ENDS	0	7
S	MUDFLAP, FRONT AXLE	BLACK POLYARMOUR (NO NAME TO APPEAR ON FLAP) (NOT ANTI-SPRAY TYPE)	0	0
S	FRONT BUMPER	FLUSH-STAINLESS CLAD ALUMINUM	98	-4
S	FUEL LEVEL SENDER UNIT, LIQUID	BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK	0	0
	FUEL TANK - LH	72 GALLON (275 L) 26" ALUMINUM ROUND	56	25
	FUEL TANK - RH	W/O RH FUEL TANK	0	0
	FUEL HOSES, LIQUID	BRAIDED HOSE	5	3
S	FUEL FILLER NECK OPTIONS	WITHOUT FILLER NECK SCREEN, WITH NON-LOCKABLE FUEL TANK CAP	0	0
	FUEL LINE OPTIONS, LIQUID	W/O FUEL LINE OPTION	-2	0
S	CAB INSTEP VERSION	STANDARD 2 STEP CAB ACCESS	0	0
	STEPS (BRIGHT) - FUEL TANK	STANDARD FINISH STEPS AND BRIGHT FINISH STRAPS	0	0

			WEIGHT (LB)	
AIR/BRAKE	DESCRIPTION		FRONT	REAR
S	AIRTANK DRAIN VALVE	MANUAL DRAIN VALVES, WITH LANYARD ON SUPPLY TANK ONLY	0	0
S	AIRTANK MATERIAL	STEEL	0	0
S	RELOCATE AIR RESERVOIRS	W/O RELOCATED AIR TANKS	0	0
	PARKING BRAKE VALVE	TWO (2) VALVE DUAL BRAKE SYSTEM - TRAILER SUPPLY AND TRACTOR-TRAILER PARK	0	0

			WEIGHT (LB)	
ELECTRICAL	DESCRIPTION		FRONT	REAR
	BACK-UP ALARM	ECCO BACK-UP ALARM SA917 (AMBIENT NOISE SENSITIVE) 87-112 dB	0	3
	DASH MOUNTED SWITCHES	TWO (2) EXTRA DASH MOUNTED ILLUMINATED SWITCHES	0	0
	AUX. FOG LAMP	FOG LAMPS (ROUND)	9	0
S	ROOF & SIDE MARKER LIGHTS	(5) TRUCKLITE CHROME BULLET ROOF MARKER & STANDARD MARKER / DIRECTIONAL SIGNAL	0	0

TECHNICAL SPECIFICATION *(cont.)*



			WEIGHT (LB)	
ELECTRICAL		DESCRIPTION	FRONT	REAR
S	DAYTIME RUNNING LIGHTS	W/OVERRIDE SWITCH, PARK BRAKE & ENGINE RUNNING ACTIVATED	0	0
S	DRL OVERRIDE SPEED THRESHOLD	DRL OVERRIDE SPEED THRESHOLD 8 KMPH (5 MPH)	0	0
S	TAIL LAMPS	LED TYPE TAIL LAMP MODULE MTD BELOW REAR CROSSMEMBER	0	7

			WEIGHT (LB)	
TRAILER CONNECTIONS		DESCRIPTION	FRONT	REAR
	TRAILER GLAD HAND COUPLINGS	GLAD HAND COUPLINGS - NORTH AMERICAN STD	0	0
S	TRAILER BRAKE VALVE	W/O HAND CONTROL VALVE	-6	0
	TRAILER CONNECTION POSITION	TRAILER AIR BRAKE CONNECTIONS, END OF FRAME	5	5
	TRAILER ELECTRICAL RECEPT	SINGLE 7 PINS STD SAE TYPE, END OF FRAME	0	0
S	TRAILER CONNECTORS HOLDER	OMIT TRAILER CONNECTORS HOLDER	3	0

			WEIGHT (LB)	
PTO		DESCRIPTION	FRONT	REAR
S	PTO - REAR MOUNTED	W/O TRANSMISSION MOUNTED PTO - (mDRIVE ONLY)	0	0
	POWER TAKE OFF CONTROL	mDRIVE SINGLE PTO PREP KIT W/ ILLUMINATED DASH MOUNTED SWITCH & PIPING FOR LOCAL INSTALL	3	0
S	PTO TRANS NEUTRAL CONTRL CHECK	W/O NEUTRAL CONTROL	0	0

			WEIGHT (LB)	
SPECIALTY EQUIPMENT		DESCRIPTION	FRONT	REAR
S	LANE SUPPORT SYSTEM (LSS)	WITHOUT LANE SUPPORT SYSTEM	0	0
S	DATA CAPTURE	WITHOUT DATA CAPTURE	0	0
S	CAMERA, SURVEILLANCE	WITHOUT CAMERA	0	0

			WEIGHT (LB)	
CAB INTERIOR (A THRU G)		DESCRIPTION	FRONT	REAR
S	GAUGES - UNIT OF MEASURE	U.S. UNITS (PREDOMINANT)	0	0
	GUAGE - PACKAGE, SECONDARY	2ND GA PKG W/BOOST PRESS,TRANS OIL TEMP,PYRO,APP AIR PRESS	0	0
	GAUGE - REAR AXLE OIL TEMP	REAR AXLE OIL TEMP GAUGE IN DID (DRIVER INFORMATION DISPLAY)	0	0
	AUXILIARY PNEUMATIC OUTLET CAB	AUX. INCAB PNEUMATIC LINE CLEANOUT	0	0
S	AIR CONDITIONING/HEATER	BLEND AIR HVAC W/"ATC" TEMP REGULATION	0	0
S	DOME LAMP, INTERIOR	(4) DOME LAMPS - DOOR AND SWITCH ACTIVATED	0	0
	FIRE EXTINGUISHER	5LB (ABC RATED/AMEREX) MOUNTED BETWEEN LH SEAT BASE AND DOOR WITH VALVE AIMED REARWARD	9	0
S	FLOOR COVERING	POLYURETHANE FLOOR MAT WITHOUT REMOVABLE INSERTS	0	0

			WEIGHT (LB)	
CAB INTERIOR (H THRU R)		DESCRIPTION	FRONT	REAR
	INSTMNT CLUSTER LANGUAGE	DEFAULT: ENGLISH, SPANISH, FRENCH, OPTION: RUSSIAN	0	0
S	KEY TYPES FOR DOORS	ALL CHASSIS KEYED AT RANDOM	0	0
S	DOOR OPENING OPTIONS	W/O ELECTRONIC KEYLESS ENTRY	0	0

TECHNICAL SPECIFICATION *(cont.)*



CAB INTERIOR (H THRU R)		DESCRIPTION	WEIGHT (LB)	
			FRONT	REAR
S	FORWARD OVERHEAD STORAGE	COMPARTMENT W/NET	0	0
S	AUDIO ACCOMMODATION	PREMIUM STEREO, AM/FM, MP3, WEATHER BAND, BLUETOOTH	0	0
	ANTENNA - RADIO	RADIO ANTENNA, CAB MOUNTED BEHIND LH DOOR	0	0
	ANTENNA - CB RADIO	48" ANTENNA LEFT SIDE MIRROR MOUNTED	0	0
S	AUDIO SHUTOFF	AUTO SHUTOFF FOR RADIO ENTERTAINMENT SYSTEM WHEN VEHICLE IS ENGAGED IN REVERSE	0	0
S	POWER LEADS	POWER LEADS (5-WAY BINDING POSTS FOR CB RADIO) IN HEADER CONSOLE	0	0
S	AUDIO SPEAKER LOCATION	SPEAKER LOCATION, IN DOORS, MIDDLE HIGH SIDE PANEL	0	0
S	COM.RADIO PREP KIT (CB)	MOUNTING PLATE AND VELCRO STRAP IN HEADER CONSOLE	0	0
S	AUXILIARY REAR WINDOW	REAR WINDOW (FIXED TYPE)	0	0
S	REAR WALL STORAGE COMPARTMENT	STORAGE POUCH REAR	0	0
	REFLECTOR KIT	EMERGENCY REFLECTOR KIT MOUNTED PARALLEL & CENTERED AGAINST BOC	12	5

CAB INTERIOR (S THRU Z)		DESCRIPTION	WEIGHT (LB)	
			FRONT	REAR
S	INTERIOR TRIM LEVELS	STANDARD PACKAGE, STEEL GRAY (Package 11A)	0	0
	SEAT - DRIVER'S	MACK-AIR, HIGH BACK, 4 CHAMBER AIR LUMBAR, BOLSTER, EXTENSION	67	16
	SEAT COVERING - DRIVER'S	DRIVER'S SEAT - STEEL GREY VINYL / CLOTH MIX	0	0
	SEAT - PASSENGER'S	MACK-FIXED, HIGH BACK, W/ STORAGE BOX	40	9
	SEAT COVERING - PASSENGER'S	PASSENGER'S SEAT - STEEL GREY VINYL / CLOTH MIX	0	0
	SEAT ARMREST	INBOARD MOUNTED ARM REST, DRIVER'S & RIDER'S SEAT	5	3
S	SEAT BELT(S)	LAP & SHOULDER (BOTH SEATS) CAB MOUNTED SHOULDER BELT ADJUSTMENT (NOT AVAIL W/EXTENDED RIDER SEAT)	0	0
	SEAT BELT REMINDER	SEAT BELT REMINDER IN INSTRUMENT, WITH AUDIO	0	0
S	IGNITION TYPE	KEY TYPE	0	0
	STEERING WHEEL	2 SPOKE URETHANE GRIP, SATIN ALUMINUM SPOKES, WITH SWITCHES	0	0
S	WINDSHIELD TYPE	TWO PIECE WINDSHIELD	0	0
	CAB GLASS	GUARDIAN ENHANCED PROTECTIVE REAR GLASS W/SAFEFLEX; 50% TRANSMITTANCE	0	0
S	WINDSHIELD WIPERS	2 SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE	0	0

CAB - SLEEPER BOX		DESCRIPTION	WEIGHT (LB)	
			FRONT	REAR
S	REFRIGERATOR	W/O SLEEPER BOX REFRIGERATOR	0	0

CAB EXTERIOR		DESCRIPTION	WEIGHT (LB)	
			FRONT	REAR
S	EMBLEMS OPTION	W/O MISC ORNAMENT CHANGE OPTION	0	0
S	AIR INTAKE GRILL / HOOD LATCH - FINISH	BLACK AIR INTAKE WITH BLACK HOOD LATCHES	0	0
S	GRILLE	HERITAGE DESIGN CHROME GRILLE W/ BLACK BACKGROUND	0	0
S	PASSENGER SIDE VISIBILITY OPTIONS	AUXILIARY WINDOW IN RH DOOR	3	0
	GRAB HANDLES	BF EXTERIOR CAB GRAB HANDLES, BLACK GRAB HANDLE RH INTERIOR WINDSHIELD POST	0	0
	HORN - AIR	(2) MACK RECTANGULAR SINGLE TRUMPET, BRIGHT FINISH ALUMINUM W/SNOW SHIELDS	7	0

TECHNICAL SPECIFICATION (cont.)



			WEIGHT (LB)	
CAB EXTERIOR		DESCRIPTION	FRONT	REAR
S	HORN - ELECTRICAL	SINGLE TONE	0	0
	MIRRORS - EXTERIOR	BULLDOG STYLIZED MIRRORS - LH & RH HEATED & MOTORIZED AND ILLUMINATED W/INTEGRAL CONVEX MIRROR	7	0
	SUN VISOR - EXTERIOR	SUN VISOR, EXTERIOR, STAINLESS STEEL 13" DEEP	25	0

			WEIGHT (LB)	
AERODYNAMIC DEVICES		DESCRIPTION	FRONT	REAR
S	CAB AERODYNAMIC PACKAGES	WITHOUT CAB AERODYNAMIC DEVICES	0	0
S	FRONT CHASSIS AERODYNAMIC PACKAGE	WITHOUT FRONT AERODYNAMIC FAIRINGS	0	0

			WEIGHT (LB)	
WHEELS & TIRES		DESCRIPTION	FRONT	REAR
	TIRES BRAND/TYPE - FRONT	11R24.5 G BRIDGESTONE R268 ECOPIA (13220 lbs) (Total for QTY = 2)	261	0
	GHG STEER TIRE CATEGORY (PAWS)	BASIC ROLLING RESISTANCE, POOR FUEL ECONOMY	0	0
	WHEELS - FRONT	24.5x8.25 ALCOA 98U63x CLEAN BUFFED ALUMINUM, 6.60" OFFSET, 10 HAND HOLE (Total for QTY = 2)	102	0
	TIRES BRAND/TYPE - REAR	11R24.5 H BRIDGESTONE M799 (26440 lbs) (DRIVE ONLY) (Total for QTY = 8)	0	1,112
	GHG DRIVE TIRE CATEGORY (PAWS)	BASIC ROLLING RESISTANCE, POOR FUEL ECONOMY	0	0
	WHEELS - REAR	24.5x8.25 ALCOA 98U63x CLEAN BUFFED ALUMINUM, 6.60" OFFSET, 10 HAND HOLE (Total for QTY = 8)	0	406
S	DRIVE WHEEL STUDS	DRIVE WHEEL STUDS LONGER LENGTH	0	0
	TIRE INFLATION VALVE	VALVE STEM, ALLIGARD, W/ (MEYER V2B) FLOW THRU CAP	0	0
S	FRONT HUB/WHEEL TRIM	WITHOUT FRONT HUB/WHEEL TRIM	0	0
S	REAR HUB/WHEEL TRIM	WITHOUT REAR HUB/WHEEL TRIM (Total for QTY = 2)	0	0
	AUXILIARY HUB/WHEEL TRIM	WITHOUT AUXILIARY HUB/WHEEL TRIM	0	0
S	WHEEL NUT & FINISH, FRONT	WHEEL NUT BASIC FINISH, FRONT	0	0
S	WHEEL NUT FINISH, REAR (CA)	WHEEL NUT BASIC FINISH, REAR	0	0

			WEIGHT (LB)	
COMMUNICATION SYSTEMS		DESCRIPTION	FRONT	REAR
S	CO-PILOT - DISPLAY FEATURES ACCESS LEVEL	CO-PILOT DISPLAY, DRIVER ACCESS LEVEL 1	0	0
S	TELEMATIC GATEWAY	TELEMATICS GATEWAY, 4G/LTE AND WLAN SYSTEM WITH DIAGNOSTIC SERVICES	0	0
S	SOFTWARE DOWNLOAD NOTIFICATION	SOFTWARE DOWNLOAD NOTIFICATION TO DRIVER, POPUP & ICON	0	0

			WEIGHT (LB)	
ENGINE ELECTRONICS		DESCRIPTION	FRONT	REAR
S	OIL PRESSURE, ENGINE SHUTDOWN	OIL PRESSURE, ENGINE SHUTDOWN	0	0
S	COOLANT TEMP, ENGINE SHUTDOWN	COOLANT TEMP, ENGINE SHUTDOWN	0	0
S	ENGINE PROTECTION SYSTEM	ENGINE PROTECTION (SHUTDOWN)	0	0
	ENG FAN CNTL, A/C ON, TIME SET	ENG FAN CONTROL, A/C ON, TIME SETTING, 60 SEC	0	0
S	ENGINE IDLE CONTROL	IDLE CONTROL, 650 RPM	0	0
S	SMART IDLE ELEVATED IDLE RPM TIME	INCREASE 10 MINUTE MAXIMUM TIME	0	0

TECHNICAL SPECIFICATION *(cont.)*



ENGINE ELECTRONICS		DESCRIPTION	WEIGHT (LB)	
			FRONT	REAR
S	IDLE S/D ABS TAMPER CHECK	IDLE SHUTDOWN ABS TAMPER CHECK, ENABLED	0	0
S	IDLE S/D IF WARM-UP TEMP	38C DEG (100F), WARM UP TEMP DELAY	0	0
S	IDLE S/D WARM-UP TIMER	5 MIN. WARM UP TIME DELAY	0	0
S	IDLE SHUTDOWN IF POWER > LIMIT	ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT	0	0
S	IDLE S/D OVERRIDE %ENGINE LOAD	IDLE SHUTDOWN OVERRIDE UPTO 20% ENGINE LOAD THRESHOLD	0	0
S	AMBIENT TEMP MIN TRESHOLD	AMBIENT TEMP MIN TRESHOLD, 16 DEG C, (60 DEG F)	0	0
S	AMBIENT TEMP MAX TRESHOLD	AMBIENT TEMP MAX TRESHOLD, 27 DEG C, (80 DEG F)	0	0
S	EL HD THROTTLE,MAX ROAD SPEED	ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 8 KM/H (5 MPH)	0	0
S	EL HAND THROTTLE,MAX ENG SPEED	ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 1000 RPM	0	0
S	EL HAND THROTTLE,MIN ENG SPEED	ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM	0	0

TRANSMISSION ELECTRONICS		DESCRIPTION	WEIGHT (LB)	
			FRONT	REAR
	TRANSMISSION DRIVE MODE PACKAGES, mDRIVE	mDRIVE- ENHANCED CONSTRUCTION - ECON, PERF, & PERF+ DRIVE MODES, AUTO RETURN (premium)	0	0
S	ECONO ROLL	ECONO ROLL DISABLE mDRIVE (REQUIRED FOR ALL OTHER TRANSMISSIONS)	0	0
S	TRANSMISSION KICK-DOWN MODE	MACKCELLERATOR ENABLE	0	0
S	TRANSMISSION ELECTRONICS PACKAGE	W/O ELEC TRANS PACKAGE OPTION (all non-Allison transmissions)	0	0
	TRANSM AUTO NEUTRAL ON P-BRAKE	mDRIVE TRANSMISSION PARK BRAKE AUTO NEUTRAL	0	0
S	TRANSMISSION ELECTRONIC SHIFTING PROPERTIES	W/O ALLISON FUELSENSE 2.0 PROGRAMMING	0	0

VEHICLE ELECTRONICS		DESCRIPTION	WEIGHT (LB)	
			FRONT	REAR
S	CRUISE CONTROL	CRUISE CONTROL	0	0
	CRUISE CONTROL, MAX SPEED	MAX CRUISE, 121 KPH (75 MPH)	0	0
	CRUISE CONTROL MIN SPEED	MIN CRUISE, 16 KPH (10 MPH)	0	0
S	CRUISE RESUME WITH CLUTCH	CRUISE RESUME WITH CLUTCH	0	0
S	ENG BRK ENGAGE IN CRUISE	ENG BRK ENGAGE IN CRUISE, 3 MPH, ABOVE SET SPEED	0	0
	PEDAL RSL SETTING	121 KM/H PEDAL ROAD SPEED LIMITER (75MPH)	0	0
	ROAD SPEED LIMITER SETTING	121 KM/H ROAD SPEED LIMITER(75 MPH)	0	0
S	ROAD SPEED LIMIT CONTROL TYPE	RSL CONTROL TYPE NORMAL	0	0
S	PDLO ENGAGED VLS	POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT 8KMH (5MPH)	0	0
S	MAXIMUM ENG SPEED AT 0 MPH	1000 MAXIMUM ENGINE SPEED AT 0 MPH	0	0
S	DETECTION SPEED SENSR TMRNG	DETECTION OF SPEED SENSOR TAMPERING, ENABLE	0	0
S	ENG TORQUE LIMIT,SPEED SENSOR	ENG TORQUE LIMITED TO 50%, IF SPEED SENSOR TAMPER DETECTED	0	0
S	DRIVER ID FUNCTION	DRIVER ID FUNCTION, DISABLED	0	0
S	DR PERFORMANCE PARAMETERS	WITHOUT DRIVER PERFORMANCE PARAMETERS	0	0
S	ENGINE OVERSPEED,ALL COND, LOG	ENGINE OVERSPEED, ALL CONDITIONS, TIME LOG IF ABOVE 2200 RPM	0	0
S	ENGINE OVERSPEED,FUELED, LOG	ENGINE OVERSPEED, FUELED, TIME LOG IF ABOVE 2100 RPM	0	0
S	VEHICLE OVERSPEED,ALL COND,LOG	VEHICLE OVERSPEED,ALL COND, TIME LOG IF ABOVE 75MPH (121KMH)	0	0
S	VEHICLE OVERSPEED, FUELED, LOG	VEHICLE OVERSPEED, FUELED, TIME LOG IF ABOVE 70MPH (113KMH)	0	0

TECHNICAL SPECIFICATION (cont.)



VEHICLE ELECTRONICS		DESCRIPTION	WEIGHT (LB)	
			FRONT	REAR
S	ENGINE IDLE DELAY TO LOG	ENGINE IDLE DELAY TO START LOG, 2 MIN	0	0
S	PERIODIC TRIP LOG DAY OF MONTH	PERIODIC TRIP LOG, DAY 1 OF THE MONTH	0	0

PTO ELECTRONICS		DESCRIPTION	WEIGHT (LB)	
			FRONT	REAR
S	TRANS PTO1 SPLITTER RANGE	PTO1 FOR SPLITTER RANGE - KEYPAD REMOTE CONTROLLED	0	0
S	TRANS PTO2 SPLITTER RANGE	PTO2 FOR SPLITTER RANGE - KEYPAD REMOTE CONTROLLED	0	0

PAINT		DESCRIPTION	WEIGHT (LB)	
			FRONT	REAR
S	PAINT DESIGN	SINGLE COLOR	0	0
S	PAINT TYPE	SOLID PAINT	0	0
	PAINT COLOR - FIRST COLOR	GLACIER WHITE; P3029	0	0
S	PAINT COLOR - SECOND COLOR	NO SECOND TRUCK COLOR PROVIDED; NO COLOR	0	0
S	PAINT COLOR - THIRD COLOR	NO THIRD TRUCK COLOR PROVIDED; NO COLOR	0	0
S	PAINT - CAB PAINT SYSTEM	PAINT - CAB, URETHANE CLEAR COAT	0	0
S	CAB COLOR	SAME AS FIRST COLOR - CAB	0	0
S	HOOD COLOR	SAME AS FIRST COLOR - HOOD	0	0
S	ROOF FAIRING COLOR	WITHOUT ROOF FAIRING	0	0
S	CHASSIS RUNNING GEAR	MACK BLACK (URETHANE)	0	0
S	BUMPER	W/O OPTIONAL BUMPER PAINT	0	0
S	FUEL TANK - ***NO INVENTED VARIANTS ALLOWED in the FUEL TANK PAINT FAMILY***	W/O OPTIONAL FUEL TANK PAINT	0	0
S	HUBS & DRUMS-FRONT	SAME AS CHASSIS RUNNING GEAR	0	0
S	HUBS & DRUMS-REAR	SAME AS CHASSIS RUNNING GEAR	0	0

CALCULATED CODES - KAX		DESCRIPTION	WEIGHT (LB)	
			FRONT	REAR
S	PROPCALC SELECTION	YES, THE ORDER MUST BE CALCULATED	0	0
	AUTO ROUTING & CLIPPING, CENTER	AUTOMATIC ROUTING & CLIPPING PLACEMENT, CENTER SECTION	0	0

BASE WARRANTY & PURCHASED COVERAGES		DESCRIPTION	WEIGHT (LB)	
			FRONT	REAR
S	VEHICLE WARRANTY TYPE	NORMAL DUTY WARRANTY CLASSIFICATION	0	0
S	BASIC CHASSIS COVERAGE	NORMAL DUTY STANDARD BASE COVERAGE 12 MONTHS/100,000 MILES (161,000KM)	0	0
S	ENGINE WARRANTY	MACK MP7/MP8 BASE ENGINE COVERAGE 24 MONTHS / 250,000 MILES (402,000KM)	0	0
S	EMISSION COMPONENT COVERAGE	US and CANADA EQUIPPED VEHICLE EMISSION COMPONENTS COVERAGE 60 MONTHS/100,000 MILES (161,000 KM)	0	0
	TRANSMISSION WARRANTY	mDRIVE HD TRANSMISSION NORMAL DUTY COVERAGE: 60 MONTHS OR 750,000 MILES	0	0
	CARRIER & AXLE HOUSING WARRANTY	STANDARD MACK NORMAL DUTY COVERAGE 60 MONTHS / 750,000 (1,207,008 KM)	0	0
S	AIR CONDITIONING WARRANTY	AIR CONDITIONING STANDARD COVERAGE (Sealed System Only) 12 MONTHS UNLIMITED MILEAGE	0	0

TECHNICAL SPECIFICATION (cont.)




BASE WARRANTY & PURCHASED COVERAGES	DESCRIPTION	WEIGHT (LB)	
		FRONT	REAR
S	CHASSIS TOWING WARRANTY	0	0
S	ENGINE TOWING WARRANTY	0	0
S	GUARDDOG CONNECT BUNDLE	0	0
S	PREPAID API	0	0
S	PREMIUM MAINTENANCE - CHASSIS LUBE AND INSPECTION	0	0

Z - TO BE DISCONTINUED - GOING OBSOLETE	DESCRIPTION	WEIGHT (LB)	
		FRONT	REAR
S	PAINTED DISC WHEELS, FRONT	0	0
S	PAINTED DISC WHEELS, REAR	0	0

FRONT / REAR AXLE WEIGHTS (LB) 9117 8735
 TOTAL WEIGHT (LB) 17851

VEHICLE SPECIFICATION/CALCULATED PERFORMANCE SUMMARY

Description	Sales Code	Dwg Ref	Length	UOM
Front Frame Extension	N/A	FE	0.0	INCHES
Bumper to Front Axle	N/A	BA	29.8	INCHES
Wheelbase	N/A	WB	212.4	INCHES
Rear Overhang	N/A	OH	57.5	INCHES
Overall Length	N/A	OL	299.7	INCHES
Bumper to Back of Cab	N/A	BBC	117.3	INCHES
Eff. Bumper to Back of Cab	N/A	EBBC	117.3	INCHES
Eff. Cab to Rear Axle	N/A	ECA	124.9	INCHES
Eff. Front Axle to Back of Cab	N/A	EAC	87.5	INCHES
Eff. Cab to End of Frame	N/A	ECEF	182.4	INCHES
Unladen 5th Wheel Height	E5BZ1X	5W	0.0	INCHES
Unladen Frame Height	N/A	FH	44.2	INCHES
Cab Height	N/A	CH	73.0	INCHES
Overall Height	N/A	OVH	128.2	INCHES
Driver CG	N/A	DCG	73.2	INCHES
50" AXLE SPACING (BOGIE WHEELBASE)	GWXABX	BS	50.0	INCHES
Second Front Axle Spacing	RHXZ1X	SFAS	0.0	INCHES





Dump Truck

From: Josh Phillips <jrphillips@brucknertruck.com>

Sent: Fri, Feb 5, 2021 at 3:55 pm

To: jblacksher@co.tyler.tx.us



Images not displayed. [SHOW IMAGES](#) | [ALWAYS SHOW IMAGES FROM THIS SENDER](#)

Good morning Joe!

Well, I've been doing some digging and here's what I found.

I have a PI64R chassis completing at the Mack factory on 3/25. It is going to Baytown for rigging. It will come up to Wichita Falls for pre-delivery prep, and it is quoted as delivered to you in Woodville. This is my stock chassis that I ordered for WF.

Purchase – 5/21

1st payment of \$18,500 due 5/22

2nd payment of \$18,500 due 5/23

3rd payment of \$18,500 due 5/24

4th payment of \$18,500 due 5/25

5th payment of \$9,250 due 11/25

Trade in in November of 2025 and get into a new one with full warranty again. Payment might change on 2nd round depending on what prices are in 2025. Price will not change on you once you've started the terms. So for now, you would be locked into the \$18,500 payment.

I also have the option to get 2 – PI64R chassis' from our Fort Worth store. They don't match my WF chassis, but the will match each other. They are scheduled for an early April completion at the Mack factory, and would are scheduled to have Warren bodies installed.

So we can do one of 2 things.

Option 1. I can get my chassis to you as soon as it comes in...early to mid May, then order a 2nd one to match it. We are currently in a July build, so I would guess a mid to late September delivery to you on the 2nd one.

Option 2. I can put your name on the 2 chassis' that Fort Worth have completing at the Mack factory in early April. They would most likely be a late June / early July delivery.

Either option will work on the Municipal Program and either option would run you the \$18,500 price. Let me know what you would like to do ASAP. The Fort Worth chassis' are available today, but might be taken next week. Mack is moving production around like crazy now, so if you take my chassis, I need to get your name on it pronto to give it a better opportunity on remaining in my March build slot.

Thank you for the opportunity!

Josh Phillips

New/Used Truck & Trailer Sales

4520 NW Frwy


Wichita Falls, TX 76306

(940) 855.4051 phone

(940) 855.8423 fax

(940) 642.2240 cell

brucknertruck.com





CONTRACT PRICING WORKSHEET
For Standard Equipment Purchases

Contract No.:

HT06-20

Date Prepared:

2/23/2021

This Form must be prepared by Contractor and given to End User. The H-GAC administrative fee shall be shown in Section F. End User issues PO to Contractor, and MUST also fax a copy of PO, together with completed Pricing Worksheet, to H-GAC @ 713-993-4548. Please type or print legibly.

Buying Agency:	Tyler County Pct#1	Contractor:	Grande Truck Center
Contact Person:		Prepared By:	Bob Davie
Phone:		Phone:	512-632-6622
Fax:		Fax:	210-666-7216
Email:		Email:	bdavie@grandetruck.com

Product Code:	I1	Description:	PI64R 2022
---------------	----	--------------	------------

A. Product Item Base Unit Price Per Contractor's H-GAC Contract: 46445

B. Published Options - Itemize below - Attach additional sheet(s) if necessary - Include Option Code in description if applicable.
(Note: Published Options are options which were submitted and priced in Contractor's bid.)

Description	Cost	Description	Cost
11x24.5 Front Tires	1100	Transmission Cooler	2200
MP8-445	3800	44K rear axle	5800
Traction Diff	3850	Wheelbase 212	3950
CRDP 150/151 Carrier	3848	After Frame	1850
Lube Rear axle	1150	11.81 x 3.54 x .37	3800
PTO Control and Switch	2150	Bronze Trunping Bushing	3850
13 speed	6357	Application Class Voc	3800
14.6 Front Axle	3100	Ext Sun Visor	2650
14.6 Springs	3100	Bulldog Stylized Mirrors	2950
93 gallon alum fuel Tank	1450	Warren Dump	15990
TMD13AFOHD mdrive	6357		
11x24.5 Rear Tires	2650		
		Subtotal From Additional Sheet(s):	
		Subtotal B:	85752

C. Unpublished Options - Itemize below / attach additional sheet(s) if necessary.
(Note: Unpublished options are items which were not submitted and priced in Contractor's bid.)

Description	Cost	Description	Cost
Extended Warranties	4424	Air Disc Brakes	3317
Guaed Dog Connect	2838		
Upgrade to Ox 15' w/45T pintle	1441		
		Subtotal C:	12020

Check: Total cost of Unpublished Options (C) cannot exceed 25% of the total of the Base Unit Price plus Published Options (A+B). For this transaction the percentage is: 9%

D. Other Cost Items Not Itemized Above (e.g. Installation, Freight, Delivery, Etc.)

Description	Cost	Description	Cost
		Subtotal D:	0

E. Total Cost Before Any Applicable Trade-In / Other Allowances / Discounts (A+B+C+D): 144217

Quantity Ordered: X Subtotal of A + B + C + D: = **Subtotal E:** 144217

F. H-GAC Fee Calculation (From Current Fee Tables) **Subtotal F:** 1000

Description	Cost	Description	Cost
		Subtotal G:	0

Delivery Date: **H. Total Purchase Price (E+F+G):** 145217