

## Renee Crews

---

**From:** Ben Roach <ben@southwest-filing.com>  
**Sent:** Monday, February 23, 2026 10:08 AM  
**To:** Renee Crews  
**Subject:** Mobile Shelving Quote & TIPS Ordering Instructions  
**Attachments:** SW-004331-1-L.pdf; SW-004331-1-Q.pdf; Datum\_Color Guide.pdf; Datum Mobiletrak.pdf; Datum\_W9.pdf

Hi Renee,

Attached are your updated quote, drawing, and color guide.

Also, here are a few instructions to help us gather all the necessary information if you're ready to proceed with your Datum mobile shelving quote. You'll need to choose a paint color for the shelving and exposed metal parts, and a laminate design for the melamine end panels.

1. (Customer) Review and sign the drawing. ( SW-004331-1-L )
2. (Purchasing) Create a P.O.:
  - DATUM STORAGE SOLUTIONS should be your vendor. (see w-9 attached)
  - in the amount of \$132,556.43
  - Reference Datum ( quote # 004331-1 )
  - reference TIPS Contract # 230301
  - list paint color: \_\_\_\_\_, and laminate color \_\_\_\_\_ in the description.
  - list your ship to address as the following:

Tyler County District Clerk  
C/o Ben Roach  
100 W Bluff St.  
Woodville, TX 75979

(214)769-5824

3. (Purchasing) Email to [tipspo@tips-usa.com](mailto:tipspo@tips-usa.com) the following merged into a single pdf:
  - Your purchase order
  - Your signed drawing - ( SW-004331-1-L )
  - A copy of the quote - ( SW-004331-1-Q )

Let me know if you have any questions,

## Request for Taxpayer Identification Number and Certification

Give Form to the  
 requester. Do not  
 send to the IRS.

▶ Go to [www.irs.gov/FormW9](http://www.irs.gov/FormW9) for instructions and the latest information.

1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.

**Datum Filing Systems, Inc.**

2 Business name/disregarded entity name, if different from above

**dba Datum Storage Solutions**

3 Check appropriate box for federal tax classification of the person whose name is entered on line 1. Check only one of the following seven boxes.

Individual/sole proprietor or single-member LLC     C Corporation     S Corporation     Partnership     Trust/estate

Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=Partnership) ▶ \_\_\_\_\_

Note: Check the appropriate box in the line above for the tax classification of the single-member owner. Do not check LLC if the LLC is classified as a single-member LLC that is disregarded from the owner unless the owner of the LLC is another LLC that is not disregarded from the owner for U.S. federal tax purposes. Otherwise, a single-member LLC that is disregarded from the owner should check the appropriate box for the tax classification of its owner.

Other (see instructions) ▶ \_\_\_\_\_

4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3):

Exempt payee code (if any) \_\_\_\_\_

Exemption from FATCA reporting code (if any) \_\_\_\_\_

(Applies to accounts maintained outside the U.S.)

5 Address (number, street, and apt. or suite no.) See instructions.

**89 Church Road, PO Box 355**

6 City, state, and ZIP code

**Emigsville, PA 17318-0355**

7 List account number(s) here (optional)

Print or type. See Specific instructions on page 3.

**Part I Taxpayer Identification Number (TIN)**

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN*, later.

Note: If the account is in more than one name, see the instructions for line 1. Also see *What Name and Number To Give the Requester* for guidelines on whose number to enter.

Social security number									
OR									
Employer identification number									
1	1		2	1	5	6	7	3	9

**Part II Certification**

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- I am a U.S. citizen or other U.S. person (defined below); and
- The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

**Certification instructions.** You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign Here    Signature of U.S. person ▶ *Joe L. Brown*    Date ▶ 01/06/2023

**General Instructions**

Section references are to the Internal Revenue Code unless otherwise noted.

**Future developments.** For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to [www.irs.gov/FormW9](http://www.irs.gov/FormW9).

**Purpose of Form**


An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN); to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following.

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)
- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See *What is backup withholding*, later.

 **DATUM**<sup>®</sup>  
Designed for **more**.



**MobileTrak**<sup>®</sup>  
High-Density Storage Systems


## WILSONART STANDARD LAMINATES & MELAMINES

To meet a variety of functional and aesthetic needs, Datum offers 12 different high-quality melamine and laminate finishes, including solid colors, simulated wood grains, and attractive textures with matching PVC Edge. All melamine and laminate surfaces are thermally-fused for permanent adherence, and their exceptional structures resist stains, scratches, and other potential damage caused by incidental contact during routine use.



## GUILFORD OF MAINE HIGH-PERFORMANCE TEXTILES

Datum offers 6 high-performance tack board fabric options.



Additional melamine and laminate options are available on the Wilsonart website. Please contact our Customer Service Department for pricing and lead time. The melamine and laminate samples shown are for representation purposes only and are not a true match. Contact our Customer Service Department if actual samples are required.



## PAINT COLORS

Datum offers a lively palette of colors with options to suit any environment. All steel components of our products are finished with the highest quality electrostatic powder coat paint to produce an attractive, durable finish. Datum uses only the most advanced painting technologies that are EPA tested and approved, and all powder coat paint is solvent-free and environmentally sound.

### STANDARD



BLACK  
T25



LIGHT GRAY  
T47



MEDIUM GRAY  
METALLIC  
T23



BONE WHITE  
T15



TAN METALLIC  
T56




SAND  
T18



TECH BLUE  
T42

### NON-STANDARD



PURE WHITE  
T94



WARM BROWN  
T22



BLUE  
T58



BURGUNDY  
T17



IVORY  
T48



GRAY MIST  
T86



INDUSTRIAL RED  
T27




SAFETY YELLOW  
T93

The paint samples shown are for representation purposes only and are not a true match. Contact our Customer Service Department if actual samples are required.







**MobileTrak<sup>®</sup> systems from Datum are mobile, high-density storage solutions that allow you to organize and store more items using less space. Our storage systems accomplish this by eliminating all but one aisle and making that aisle movable using a series of carriages mounted on rails. Carriages are easily shifted left or right via a manual, mechanical, or powered system for quick, convenient access to stored items. This design allows you to fit more than double the storage in the same space as traditional stationary shelving. Storage is also easily expanded by adding carriages as your storage needs grow.**




Stationary Shelving



MobileTrak Reduces Space



MobileTrak Doubles Capacity



# MobileTrak® Systems


## EXTENSIVE RANGE OF FEATURES

- More than double the capacity of traditional stationary shelf-and-aisle storage
- Carriage and rails provide smooth movement when opening and closing aisles
- 3 handle options include red aisle indicator, lockable crank handle and manual pull handle
- Push-button Aisle Locks prevent carriage movement, while aisle is in use
- Locking Crank Handle provides security for the system
- Enclosed drive mechanism and external adjustable chain tensioner allow adjustments without removing the end panel
- All MobileTrak Systems are available with a selection of End Panel configurations, ranging from a simple drive box cover, One-Piece, Two-Piece, Three-Piece and Four-Piece End Panels.
- End Panels can be made from Melamine, Laminate or Steel
- Dual Drive options are available
- Syncro Drive available
- Mechanical Safety Sweeps are available on MT550
- Powder Coat Finish
- Lifetime Product Warranty, 2 Years Labor Warranty\*




## RAIL-RAMP OPTIONS

- MobileTrak® systems are available with non-grouted, grouted, recessed, and seismic rails to fit your space, conditions, and current flooring style.
- Non-grouted rails can be anchored to the floor or sit on the floor when anchoring is not practical.
- Grouted rails are secured to the floor.
- Recessed rails are securely anchored within the floor, which eliminates the need for a secondary floor.
- Seismic carriages include Anti-Tip brackets at each wheel location that provide substantial carriage stability and help ensure the carriage does not become dislodged from the rail even under the harshest seismic event.
- All tracks have the ability to add anti-tip brackets at any time.
- Ramps available in standard and ADA depths in either steel or wood options.
- Stainless Steel Transition Strips provided with all wood ramps on MT550.



## OUR SHELVING OR YOURS

MobileTrak® systems can accommodate any Datum shelving solution, including 4Post™, Stak-N-Lok™, VuStak™, ThinStak™, Lateral Files, and Weapon Cabinets. We can also customize your MobileTrak system to accept shelving from other manufacturers, so you can get the most from your storage investment.




\* to see full warranty visit [bydatum.com](http://bydatum.com)

# MobileTrak3®

MobileTrak3® provides all the advantages of high-density mobile storage in a low profile that fits in the most challenging spaces. The MobileTrak3 easily works around low ceilings, sprinkler systems, and other obstructions that can often make storage challenging.

It's available in lengths up to 288 inches and a depth of up to 44 inches. Mechanically-assisted movement allows users to easily open and close aisles for quick, convenient access to stored items. Rails include non-grouted, grouted, and recessed options to suit any floor or facility layout.

The MobileTrak3 is available with mechanical or manual carriages and with optional Dual Drive capability and Syncro Drive features.



One-Piece Melamine



One-Piece Laminate



One-Piece Melamine with custom graphics



Custom Melamine & Perforated Steel

# MobileTrak550<sup>®</sup>

MobileTrak550<sup>®</sup> is a heavy-duty, mechanically-assisted, high-density mobile storage system. Constructed for more and heavier storage in a multitude of environments, the MobileTrak 550 comes with four rail choices, including non-grouted, grouted, recessed, and seismic options. The seismic option is designed specifically for applications where substantial carriage stability is required, and it prevents the carriage from becoming dislodged during a seismic event.

The carriages are available in lengths up to 612 inches and depths up to 60 inches. This system is also available with optional Dual Drive, Mechanical Safety Sweep and Syncro Drive.

The MobileTrak550 is available as a Manual, Mechanical, or Powered system.



One-Piece Laminate End Panel, Mechanical Safety Sweeps



Three-Piece Steel End Panels



Three-Piece Laminate End Panel



One-Piece Melamine

# MobileTrak® Powered

MobileTrak® Powered provides high-density storage within a complete system designed for maximum safety, productivity, and convenience. MobileTrak Powered includes simple, one-touch controls to access storage aisles, and standard features such as IR Floor Sweep, Manual Override, and Distance Sensors help protect the safety of both personnel and property. Additional options such as Aisle Entry Sensors, Aisle Lighting, Advanced Safety Systems, Power Lock, and Fire Park are available for even greater safety and security.



One-Piece Melamine End Panel



Three-Piece Melamine End Panel



Touch Pad



One-Piece Laminate

# Designed by Datum

We ensure your new storage solution meets your space and height restrictions as well as your aesthetic expectations. Datum uses design software so you can see and approve your new system before installation.

## COMPLETELY CUSTOMIZABLE

MobileTrak® offers various paint and laminate/melamine choices with multiple flooring options that allow you to tailor your system to perfectly match your décor and storage needs. We can also include custom graphics to give your storage location that extra dash of school spirit or distinctive identity.

## GROWSTOR

Maximize your indoor growing space with the GrowStor vertical farming mobile system. Working with Brighterside Consulting, Datum developed GrowStor to deliver the perfect blend of lighting and high-density storage to create the ideal growing environment.

## ARTSTOR™

ArtStor™ stores and organizes fragile artwork of varying sizes and construction while providing ready access for rotating and monitoring your collection, all in a unique mobile storage system that allows you to store more artwork in your existing space. Our state-of-the-art track and rail system keeps artwork secure while carriages are in motion, bumpers on the framework provide additional protection when carriages are stacked together.

## DATUM HIGH-DENSITY STORAGE SOLUTIONS ARE IDEAL FOR:

- Archives & Museums
- Athletics
- Computer Labs
- Government
- Healthcare & Medical
- Libraries
- Manufacturing & Industrial
- Offices & Corporate
- Police & Military
- Schools & Universities





## Define. Design. Install.

Our Datum storage experts will support you from start to finish by:



### On GSA and State Contracts

#### About Datum Storage Solutions

Since 1968, Datum has been manufacturing durable, high-quality storage solutions that are proudly made in the USA and backed by some of the industry's best warranties. Datum is family-owned and operated by the Potter family, and all of our products are manufactured in our 200,000-square-foot facility in York, Pennsylvania.

#### Lifetime Warranty

Datum Storage Solutions products come with a Lifetime Warranty. For complete warranty details, visit our website at [bydatum.com](http://bydatum.com).

#### DATUM STORAGE SOLUTIONS

89 Church Road, PO Box 355  
Emigsville, PA 17318-0355  
Toll Free 1.800.828.8018  
Fax 1.888.FILING.1  
Email [sales@datumstorage.com](mailto:sales@datumstorage.com)  
[bydatum.com](http://bydatum.com)

06.20





Datum Storage Solutions  
 89 Church Road  
 PO Box 355  
 Emigsville, PA, 17318  
 Phone: (717) 764-6350

Web: www.datumstorage.com

## QUOTE

Quote Nbr.: 004331-1  
 Quote Date: 2/20/2026  
 Valid Until: 3/22/2026  
 Sales Person: Noah Sowers  
 Customer ID: 102589  
 Reference:  
 Total Weight: 17,739  
 For: Ben Roach  
 Contract Nbr: 230301 TIPS FURNITURE CONTRACT  
 Contract Type: TIPS Furniture

**FOR:**  
 Southwest Filing & Storage  
 2 Arabian Court  
 Mansfield TX 76063  
 United States of America

**SHIP TO:**  
 Southwest Filing & Storage  
 2 Arabian Ct  
 Mansfield TX 76063-5162  
 United States of America  
 Attn: BEN ROACH

**Description:** Tyler County DC- Mobile Systems  
**Payment Terms:** 2% 10 Net 30 Days

NO.	ITEM	QTY.	UOM	PRICE	DISC.	AMOUNT
1	3042KS: TOP SHELF 30" X 42" W	9.0000	EA	80.0000	35%	468.00
2	1542KS: TOP SHELF 15" X 42" W	1.0000	EA	45.0000	35%	29.25
3	3036KS: TOP SHELF 30" X 36" W	36.0000	EA	71.5000	35%	1,673.10
4	1536KS: TOP SHELF 15" X 36" W	4.0000	EA	39.5000	35%	102.70
5	SS-3614: STANDARD DUTY SHELF SUPPORT 36", 14 GA.	640.0000	EA	8.8000	35%	3,660.80
6	3042SS: 30"D X 42"W SLOTTED STANDARD DUTY SHELF	72.0000	EA	80.0000	35%	3,744.00
7	1542SS: 15"D X 42"W SLOTTED STANDARD DUTY SHELF	8.0000	EA	45.0000	35%	234.00
8	3036SS: 30"D X 36"W SLOTTED STANDARD DUTY SHELF	288.0000	EA	71.5000	35%	13,384.80
9	1536SS: 15"D X 36"W SLOTTED STANDARD DUTY SHELF	32.0000	EA	39.5000	35%	821.60
10	CS42: 42" SLOTTED CENTER STOP	72.0000	EA	17.6000	35%	823.68
11	CS36: 36" SLOTTED CENTER STOP	288.0000	EA	15.4000	35%	2,882.88
12	SB42: 42" SLOTTED BACK STOP	8.0000	EA	14.3000	35%	74.36
13	SB36: 36" SLOTTED BACK STOP	32.0000	EA	13.2000	35%	274.56
14	BS42: 42" SINGLE RIVET SUPPORT	20.0000	EA	13.2000	35%	171.60
15	BS36: 36" SINGLE RIVET SUPPORT	80.0000	EA	8.8000	35%	457.60
16	SR30: 30" SHELF REINFORCEMENT	720.0000	EA	7.7000	35%	3,603.60
17	8830TO: 30" X 88" OPEN T UPRIGHT	27.0000	EA	160.0000	35%	2,808.00
18	8815TO: 15" X 88" OPEN T UPRIGHT	3.0000	EA	133.0000	35%	259.35
19	MS-4211: 42" HEAVY DUTY SHELF SUPPORT	160.0000	EA	13.2000	35%	1,372.80
20	HR30: 30"D HEAVY DUTY PLUS SHELF REINFORCEMENT	90.0000	EA	8.8000	35%	514.80
21	FDL: MOVABLE DIVIDER	2,280.0000	EA	5.7000	35%	8,447.40
22	8830LC: 30"D X 88"H CLOSED "L" UPRIGHT	36.0000	EA	189.0000	35%	4,422.60
23	8815LC: 15"D X 88"H CLOSED "L" UPRIGHT	4.0000	EA	126.0000	35%	327.60


NO.	ITEM	QTY.	UOM.	PRICE	DISC.	AMOUNT
24	5415-28-338: Standard Ramp	4.0000	EA	677.0000	35%	1,760.20
25	5380-182-2-336-78: Polyvinyl Decking	1.0000	EA	6,806.0000	35%	3,773.25
26	5380-252-2-336-108: Polyvinyl Decking	1.0000	EA	8,088.0000	35%	5,224.70
27	M5MM-9-302-108-2: MobileTrak5 Mechanical Carriage between 97" and 108" Long x 30" to 47" wide	9.0000	EA	2,169.0000	35%	12,630.15
28	M5MM-7-302-78-2: MobileTrak5 Mechanical Carriage between 73" and 84" Long x 30" to 47" Wide	9.0000	EA	2,053.0000	35%	12,010.05
29	M5FS-9-152-108-2: MobileTrak5 Fixed Carriage between 97" and 108" Long x 9" to 29" Wide	1.0000	EA	962.0000	35%	625.30
30	M5FS-7-152-78-2: MobileTrak5 Fixed Carriage between 73" and 84" Long x 9" to 29" Wide	1.0000	EA	856.0000	35%	556.40
31	5360-66-2-336-108: MobileTrak5 Adjustable Track	1.0000	EA	4,743.0000	35%	3,082.95
32	5360-66-2-336-78: MobileTrak5 Adjustable Track	1.0000	EA	4,743.0000	35%	3,082.95
33	M5HEP-M1M-M-302-88: MobileTrak5 1 Piece Hybrid Melamine End Panel up to 91" x 30" to 47"	18.0000	EA	477.0000	35%	5,580.90
34	M5HEP-S1M-F-152-88: MobileTrak5 1 Piece Hybrid Melamine End Panel up to 91" x 9" to 29"	2.0000	EA	418.0000	35%	543.40
35	5155S: Low Profile End Stop (each)	4.0000	EA	47.2500	35%	122.85
36	5205D: LABEL HOLDER, DATUM	38.0000	EA	52.7500	35%	1,302.92
37	3621H-18: HYBRD OPEN DRIVE BOX SGL REDU POLY HANDLE 18" DFT	9.0000	EA	394.0000	35%	2,304.90
38	3621H-12: HYBRD OPEN DRIVE BOX SGL REDU POLY HANDLE 12" DFT	9.0000	EA	394.0000	35%	2,304.90
39	CSH-302: CARRIAGE SHELVING SUPPORT 30.2 WIDE HEAVY DUTY	27.0000	EA	66.0000	35%	1,158.30
40	5140-108: DECK END TRIM 108"	2.0000	EA	118.0000	35%	153.40
41	5140-78: DECK END TRIM 78"	2.0000	EA	85.5000	35%	111.15
42	CSS-152: CARRIAGE SHELVING SUPPORT 15.25" WIDE	3.0000	EA	34.0000	35%	66.30
43	3300TR: THREE SPOKE HANDLE W/ RED POP	18.0000	EA	510.0000	35%	5,967.00
44	DESIGN FEE: Design Fee	2.0000	EA	75.0000	0%	150.00
45	INSTALLATION: INSTALLATION CHARGE	1.0000	EA	19,485.3800	0%	19,485.38

<b>Quote Subtotal:</b>	193,360.08
<b>Less Product Discount:</b>	60,903.65
<b>Sales Tax:</b>	0.00
<b>Quote Total (USD):</b>	132,556.43

**Signature:** \_\_\_\_\_

**Notes:**



**Contract Details:** TIPS Furniture Contract #230301  
Delivered dock to dock  
Order **MUST** be made out to Datum Filing Systems, 89 Church Road, Box 955,  
Emigsville, PA 17318



\*\*\*All room dimensions, obstructions, and site conditions must be verified prior to placing an order.

<b>Customer:</b> Southwest Filing & Storage		<b>Customer Responsibility for Verification:</b> By approving this drawing, the customer confirms that all dimensions, tolerances, and specifications have been reviewed and are accurate for their intended use. The customer accepts responsibility for verifying critical details and acknowledges that any changes requested after approval may incur additional cost and lead time. Datum is not liable for errors not identified prior to approval.	<b>Project Name:</b> Tyler County DC - Mobile Systems
<b>Approval Signature:</b>	<b>Date:</b>		<b>Drawing Number:</b> 004331-1.cmdrw





**Mobile System Specifications:**

- Adjustable Rail
- Polyvinyl Decking
- Steel Ramp
- Melamine End Panels
- System Height: 95-1/2"

**4Post Shelving Specifications**


- 88-1/4"H Uprights (Closed "L"/Open "T")
- 15"/30" Deep Slotted Shelves
- 8 Openings
- 3 Dividers Per Shelf

\*\*\*All room dimensions, obstructions, and site conditions must be verified prior to placing an order.

<b>Customer:</b> Southwest Filing & Storage		<b>Customer Responsibility for Verification:</b> By approving this drawing, the customer confirms that all dimensions, tolerances, and specifications have been reviewed and are accurate for their intended use. The customer accepts responsibility for verifying critical details and acknowledges that any changes requested after approval may incur additional cost and lead time. Datum is not liable for errors not identified prior to approval.	 <b>DATUM</b> Designed for more.	<b>Project Name:</b> Tyler County DC - Mobile Systems
<b>Approval Signature:</b>	<b>Date:</b> 10/30/2025			<b>Drawing Number:</b> 004331-1.cmdrw

10/30/2025

If we are able to knock out the front wall around the entrance vestibule, we can extend this system out further, increasing the total capacity to 35,036 filing inches. Equivalent to about 280 5 drawer filing cabinets.




106" Ceiling

85" Ceiling

106" Ceiling

85" Ceiling



September 21, 2025


Woodville, TX Tyl



106" Ceiling

85" Ceiling

106" Ceiling

85" Ceiling





September 21, 2025

Woodville, TX Tyl