SCANNED Date: 8/5/2010

TYLER COUNTY COMMISSIONERS COURT SPECIAL MEETING August 3, 2010 ---- 9:00 a.m.

THE STATE OF TEXAS ON THIS THE 3rd day of August, 2010 the Commissioners' Court in and for Tyler County, Texas convened in a Special Meeting at the Commissioners' Courtroom in Woodville, Texas, the following members of the Court present, to wit:

JACQUES L. BLANCHETTE

MARTIN NASH

RUSTY HUGHES

JACK WALSTON

DONECE GREGORY

COUNTY JUDGE, Presiding

COMMISSIONER, PCT. #1

COMMISSIONER, PCT. #2

COMMISSIONER, PCT. #4

COUNTY CLERK, EX OFFICIO

The following were absent: Commissioner Marshall thereby constituting a quorum. In addition to the above was:

JACKIE SKINNER COUNTY AUDITOR SHARON FULLER COUNTY TREASURER

JOE R. SMITH CRIMINAL DISTRICT ATTORNEY

A motion was made by **Commissioner Walston** to award the bid for materials and equipment for the **Tyler County 2008 CD Block Grant TXCDBG #728410** to Rural Pipe & Supply for \$96,725. **Commissioner Nash** seconded the motion. All voted yes and none no. This is for the Tyler County Water Supply Corp. water improvements project in Fred. SEE ATTACHED

A motion was made by Commissioner Walston to award the bid for boring contract for Tyler County 2008 CDB Grant TXCDBG #728410 to Inman & Adams in the amount of \$18,660. Commissioner Hughes seconded the motion. All voted yes and none no.

Commissioner Nash motioned to support the East Texas Electric Cooperative Woodville Renewable Energy project. Commissioner Walston seconded the motion. All voted yes and none no. SEE ATTACHED LETTER

Commissioner Nash motioned to authorize advertisement for bids to dispose of scrap metal at Precinct #1 county barn. The motion was seconded by Commissioner Walston. All voted yes and none no. SEE ATTACHED NOTICE TO BIDDERS

Commissioner Hughes motioned to authorize advertisement for bids for a Kubota V3800D1-T1 tractor and Terrain King KB2200 boom. The motion was seconded by **Commissioner Nash.** This will be a lease/purchase per specifications. All voted yes and none no. SEE ATTACHED NOTICE TO BIDDERS

A motion was made by **Judge Blanchette** to approve the resale of Warren Independent School District and Woodville Independent School District Trust Property. The motion was seconded by **Commissioner Nash.** All voted yes and none no. SEE ATTACHED LIST OF PROPERTIES.

A motion was made by **Commissioner Walston** to approve enrolling the **part-time employees** in the **Texas County and District Retirement System**, which meet the criteria. The motion was seconded by **Commissioner Hughes.** Mrs. Fuller reported having 10 employees that will be enrolled. She has not received the calculations from Ralph Wallace. Commissioner Nash advised to give the TCDRS a deadline of September 1st as to not be accruing additional interest. As to the deficiency since 2005 to employees that no longer work for the county, Joe Smith directed the treasurer to get the interest calculation that will be added on a daily basis. Commissioner Walston stated the legislature needs to revisit this legislation. All voted yes and none no.

A motion was made by Commissioner Nash to adjourn the meeting. Commissioner Walston seconded the motion. All voted yes and none no.

THERE BEING NO FURTHER BUSINESS, THE MEETING ADJOURNED: 9:15a.m.

I, Donece Gregory, County Clerk and ex officio member of the Tyler County Commissioners Court, do hereby certify to the fact that the above is a true and correct record of the Tyler County Commissioners Court session held on August 3, 2010.

Witness my hand and seal of office on this the 3rd day of August, 2010.

Attest:

Donece Gregory, County Clask Tyler County, Texas

TYLER COUNTY

FY-2008 TCDP WATER INPROVEMENTS PROJECT/FRED AREA

TCDP CONTRACT NUMBER: 728410

CONTRACT PERIOD: 6/22/2008 TO 6/21/2011

ACCOUNT NUMBER: 087 - 460

FUNDS:

Required Match

\$83,000.00

TDRA: LOCAL CASH: \$ 250,000.00 \$ 113,750.00

LOCAL IN KIND: LOCAL NOTE ENG: \$ 72,212.00 \$ 16,000.00

\$ 451,962.00

REPORT DATE: 07/13/2010

Amendment Budget

INCLUDES DRAWDOWN NO. 00-2


| PROJECT ACTIVITY | APPROVED <u>BUDGET</u> | EXPENDED | DAL ANCE | OBLIGATED | ACTUAL | ADJUSTED BALANCE |
|------------------------|---------------------------|--------------|---------------|---------------|---------------|---------------------|
| 1A. Water Facilities | BODGET | EXPENDED | BALANCE | UNEXPENDED | BALANCE | BALANCE |
| TDRA | \$ 217,000.00 | \$ 0.00 | \$ 217,000.00 | \$ 115,391.80 | \$ 101,608.20 | \$ 101,608.20 |
| LOCAL-CASH | \$ 18,750.00 | \$ 0.00 | \$18,750.00 | \$ 0.00 | \$18,750.00 | \$18,750.00 |
| LOCAL-FORCE ACCOUNT | \$ 72,212.00 | \$ 0.00 | \$ 72,212.00 | \$ 0.00 | \$ 72,212.00 | \$ 72,212.00 |
| 24.) Acquistiton | \$ 0.00 | \$ 0.00 | \$ 0.00 | \$ 0.00 | \$ 0.00 | \$ 0.00 |
| 30.) Engineering-LOCAL | \$ 101,000.00 | \$ 16,000.00 | \$ 85,000.00 | \$ 85,000.00 | \$ 0.00 | \$ 0.00 |
| 32.) Administration | | | | | | |
| TDRA | \$ 33,000.00 | \$ 0.00 | \$ 33,000.00 | \$ 33,000.00 | \$ 0.00 | \$ 0.00 |
| LOCAL-ENVIRONMENTAL | \$ 10,000.00 | \$ 10,000.00 | \$ 0.00 | \$ 0.00 | \$ 0.00 | \$ 0.00 |
| | \$ 451,962.00 | \$ 26,000.00 | \$ 425,962.00 | \$ 233,391.80 | \$192,570,20 | \$192,570.20 |

CONTRACTS:

Administration: David J. Waxman, Inc. \$43,000.00 (Includes \$10,000.00 for Environmental Review by Environ)
Engineering: Goodwin - Lasiter \$16,000.00 *

Engineering: Bleyl & Associates \$85,000.00 Rural Pipe & Supply (Materials) \$96,725.80 Inman & Adams (Bores) \$18,666.00

- a.) *Note:\$16,000.00 Spent by Project on Engineering Goodwin-Lasiter
- o.) The Local cash for Construction is \$18,750.00 and will not be needed.
- 3.) The Local Match required is \$83,000.00
- I.) Engineering and Environmental cannot be paid with Grant Funds (no procurement)
- 1.) District intends to use the "extra" \$115,391.80 to pay for Force Account Labor and Equipment (FEMA Rates)



Bleyl & Associates

Project Engineering & Management

1722 Broadmoor Suite 210 Bryan, TX 77802

July 15, 2010

The Honorable Jacques L. Blanchette County Judge, Tyler County 100 W. Bluff, RM #102 Woodville, TX. 75979

Re:

Recommendation of Award for Tyler County 2008 CD Block Grant

TXCDBG #728410

Dear Judge Blanchette:

A public bid opening was held at the Tyler County Courthouse on July 9, 2010 at 10:00 am for the Materials and Equipment. Three bids were received and read aloud.

A summary below gives the results of all bidders:

Rural Pipe Coburn's HD Waterworks & Supply \$96,725,80 \$101,905.44 \$118,289.97

The public bid opening for the Boring Contract was also held at the Tyler County Courthouse on July 9, 2010 at 10:45 am. A single bid was received and read aloud.

Inman & Adams

Bid Amount

Bid Amount

\$18,660.00

Both Rural Pipe & Supply and Inman & Adams have a very positive history of providing materials and construction services to Tyler County, Tyler County WSC, and Waxman & Associates. Therefore, I recommend awarding the Materials contract to Rural Pipe & Supply for the contract amount of \$96,725.80 and the Boring Services contract to Inman & Adams for the contract amount of \$18,660.00.

Sincerely,

Sam J. Wernon, P.E.

Regional Manager/Design Engineer

Cc:

Jerry Lovelady David J. Waxman

File

Bryan 79)-268-1125 79)-260-3849

Austin (512)-328-7878 (512)-328-7884 Fax Conroe (936)-441-7833 (936)-760-3833 Fax

Bi Tab

Tyler County Water supply Corporation

System Improvements

Bids Read Aloud - July 9, 2010

| | | | | Rural Pipe & Supply | | HD Wat | terworks | Cob | urn's |
|---------------|-------------|-------|---|---------------------|-------------|------------|-------------|------------|-------------|
| ITEM QTY UNIT | | UNIT | DESCRIPTION | UNIT PRICE | AMOUNT | UNIT PRICE | AMOUNT | UNIT PRICE | AMOUNT |
| WATE | R LINE | ITEMS | | <u> </u> | <u> </u> | | | | |
| 1 | 1 35,000 LF | | Furnish 6" AWWA D2241 SDR 26 PVC water line and lubricant as per pipe manufacturer's recommendation | \$1.88 | \$65,800.00 | \$1.97 | \$68,950.00 | \$1.87 | \$65,450.00 |
| 2 | 60 | LF | Furnish 10" DR 14 CL 200 C900 PVC water line and lubricant as per pipe manufacturer's recommendation | \$10.15 | \$609.00 | \$10.97 | *\$658.20 | \$7.75 | \$465.00 |
| 3 | 120 | LF | Furnish 4" AWWA D2241 SDR 26 PVC water line and lubricant as per pipe manufacturer's recommendation | \$0.96 | \$115.20 | \$1.05 | \$126.00 | \$0.99 | \$118.80 |
| 4 | 2 | EA | Furnish 6" MJ DI 90 deg bend with accessories | \$81.50 | \$163.00 | \$78.00 | \$156.00 | \$79.20 | \$158.40 |
| 5 | 32 | EA | Furnish 6" MJ DI 45 deg bends with accessories | \$72.10 | \$2,307.20 | \$69.08 | \$2,210.56 | \$70.20 | \$2,246.40 |
| 6 | 2 | EA | Furnish 6" MJxFE DI tee with accessories | \$114.89 | \$229.78 | \$127.51 | \$255.02 | \$114.00 | \$228.00 |
| 7 | 12 | EA | Furnish 6x4" FExFE DI tee with accessories | \$127.75 | \$1,533.00 | \$156.00 | \$1,872.00 | \$129.00 | \$1,548.00 |
| 8 | 1 | EA | Furnish 6x4" PExPE DI reducer with accessories | \$33.00 | \$33.00 | \$62.09 | \$62.09 | \$55.50 | \$55.50 |
| 9 | 3 | EA | Furnish 6x2" stainless steel service saddle (6.625 OD pipe) | \$104.00 | \$312.00 | \$97.71 | \$293.13 | \$50.00 | \$150.00 |
| 10 | 5 | EA | Furnish 6" MJ resilient wedge gate valve with accessories | \$294.75 | \$1,473.75 | \$475.80 | \$2,379.00 | \$400.00 | \$2,000.00 |
| 11 | 26 | EA | Furnish 6" MJxFE resilient wedge gate valve with accessories | \$294.75 | \$7,663.50 | \$475.80 | \$12,370.80 | \$400.00 | \$10,400.00 |
| 12 | 1 | EA | Furnish 4" MJ resilient wedge gate valve with accessories | \$212.75 | \$212.75 | \$371.78 | \$371.78 | \$310.00 | \$310.00 |

Bir Tab

Tyler County Water Supply Corporation

System Improvements

Bids Read Aloud - July 9, 2010

| ITEM | QTY | UNIT | DESCRIPTION | UNIT PRICE | AMOUNT | UNIT PRICE | AMOUNT | UNIT PRICE | AMOUNT |
|------|-----|------|---|------------|------------|------------|-------------|------------|------------|
| 13 | 13 | EΑ | Furnish 4" MJxFE resilient wedge gate valve with accessories | \$212.75 | \$2,765.75 | \$371.78 | \$4,833.14 | \$310.00 | \$4,030.00 |
| 14 | 4 | ΕA | Furnish 1/2"-55 APCO air release valve | \$100.10 | \$400.40 | \$109.73 | \$438.92 | \$120.00 | \$480.00 |
| 15 | 4 | EA | Furnish 6"x1/2" stainless steel saddle | \$98.70 | \$394.80 | \$68.41 | \$273.64 | \$50.00 | \$200.00 |
| 16 | 4 | EA | Furnish 1/2" bronze gate valve | \$3.75 | \$15.00 | \$4.48 | \$17.92 | \$3.65 | \$14.60 |
| 17 | 3 | EΑ | Furnish 2" bronze gate valve | \$19.19 | \$57.57 | \$25.01 | \$75.03 | \$20.20 | \$60.60 |
| 18 | 8 | ΕA | Furnish 1/2"x close brass nipple | \$0.90 | \$7.20 | \$1.09 | \$8.72 | \$1.10 | \$8.80 |
| 19 | 6 | EA | Furnish 2"x close brass nipple | \$5.40 | \$32.40 | \$6.94 | \$41.64 | \$6.94 | \$41.64 |
| 20 | 1 | EA | Furnish 4" MJxFE DI tee with accessories | \$80.17 | \$80.17 | \$96.50 | \$96.50 | \$76.90 | \$76.90 |
| 21 | 10 | EA | Furnish 4" MJ DI 90 deg bends with accessories | \$54.50 | \$545.00 | \$51.86 | \$518.60 | \$51.60 | \$516.00 |
| 22 | 4 | EA | Furnish 4" MJ DI 45 deg bends with accessories | \$48.50 | \$194.00 | \$47.68 | \$190.72 | \$46.20 | \$184.80 |
| 23 | 11 | EΑ | Furnish 4" MJ tee with accessories | \$75.75 | \$833.25 | \$79.20 | \$871.20 | \$72.00 | \$792.00 |
| 24 | 22 | EA | Furnish 4" mechanical joint restraint gland for PVC pipe with accessories | \$24.50 | \$539.00 | \$27.06 | \$595.32 | \$29.00 | \$638.00 |
| 25 | 45 | EA | Cast iron Type "A" valve box with lid marked "W" | \$30.50 | \$1,372.50 | \$34.80 | \$1,566.00 | \$24.00 | \$1,080.00 |
| 26 | 1 | EA | 6" Combination Pressure Reducing & Pressure Sustaining Valve Cla-Val 92-01 (ductile iron body & cover) | \$2,175.00 | \$2,175.00 | \$2,984.00 | \$2,984.00 | \$2,800.00 | \$2,800.00 |
| 27 | 5 | EA | Vault (water box, meter box, pit) minimum 40"Lx30"Wx30"H inside dimensions with aluminum lid, as per detail | \$721.00 | \$3,605.00 | \$2,665.60 | \$13,328.00 | \$975.00 | \$4,875.00 |
| 28 | 2 | EA | 6" MJ-Flange adapter kit with accessories | \$61.29 | \$122.58 | \$68.98 | \$137.96 | \$60.00 | \$120.00 |

Bir' ab
Tyler County Water supply Corporation
System Improvements
Bids Read Aloud - July 9, 2010

| ITEM | TEM QTY | UNIT | DESCRIPTION | UNIT PRICE | AMOUNT | UNIT PRICE | AMOUNT | UNIT PRICE | AMOUNT |
|------|----------|--|--|------------|-------------|------------|--------------|------------|--------------|
| 29 | 34 | | Roll 3"x1000" Blue, minimum 4 mil thickness, non-detectable underground warning tape. Reads "Caution: Buried Underground Water Line Below" | \$11.00 | \$374.00 | \$10.34 | \$356.61 | \$13.00 | \$442.00 |
| 30 | 30 69 EA | EA Roll 500' Any color, 14 ga, solid insulated copper wire | | NY 1 PA 1 | | \$2,251.47 | \$35.00 | \$2,415.00 | |
| | | | WATER LINE ITEMS TOTAL | | \$96,725.80 | | \$118,289.97 | | \$101,905.44 |

^{*}Math error - Original Bid Read "\$642.60". An adjustment of +\$15.60 has been made to reflect unit price.

Bir ab Tyler County Water supply Corporation System Improvements Bids Read Aloud - July 9, 2010

| | | | | Inman & | Adams |
|----------|-----------|------|---|------------|-------------|
| ITEM | QTY | UNIT | DESCRIPTION | UNIT PRICE | AMOUNT |
| Boring l | Line Iter | ns | | | |
| 1 | 1 | LF | Mobilization and insurance (Not to exceed 5% of the total of all other items) | \$0.00 | \$0.00 |
| 2 | 654 | LF | Install 6" water line by bore under paved roads, paved driveways and culverts. Bore lenghts are as follows: 12',22',56',32',12',12',15',12',12',18',12',28',12',11',15',17' | \$26.00 | \$17,004.00 |
| 3 | 46 | LF | Install 10" casing pipe by bore under waterways. Bore lenghts are as follows: 27' and 19'. | \$36.00 | \$1,656.00 |
| | | | ROAD BORING LINE ITEM TOTALS | | \$18,660.00 |

COUNTY OF TYLER, TEXAS

STANDARD FORM OF AGREEMENT FOR OWNER-SUPPLIER PROJECTS

STATE of TEXAS }

TYLER COUNTY }

THIS AGREEMENT, made and entered into this 3rd day of <u>August</u>, A.D. 2010, by and between Tyler County of the COUNTY of Tyler in the STATE OF TEXAS, thereunto duly authorized so to do, Party of the First Part, hereinafter termed OWNER, and <u>Rural Pipe and Supply 809 Visador Rd. Jasper TX 75951</u>, Party of the Second Part, hereinafter termed SUPPLIER.

WITNESSETH: That for and inconsideration of the payments and agreements hereinafter mentioned, to be made and performed by the Party of the First Part (OWNER) and under the conditions expressed in the bond bearing even date herewith, the said Party of the Second Part (SUPPLIER), hereby agrees with the said Party of the First Part (OWNER) to commence and complete the delivery of materials for certain improvements described as follow:

Installation of domestic water supply line and appurtenances.

under the terms as stated in the General Conditions of the Agreement and at his (or their) own proper cost and expense to furnish and deliver all materials, necessary to complete the said construction, in accordance with the General and Special Conditions of Agreement and the Specifications and addenda therefore, as prepared by <u>Sam Vernon, P.E.</u>, herein entitled the ENGINEER, each of which has been identified by the SUPPLIER and the ENGINEER, together with the SUPPLIER'S written proposal, the General Conditions of the Agreement hereto attached; all of which are made a part hereof and collectively evidence and constitute the entire contract.

The SUPPLIER hereby agrees to commence delivery of materials within ten (10) calendar days after the date written notice to do so shall have been given to him, and to be at Final Completion within <u>45</u> consecutive calendar days after the issuance of the "Notice to Proceed", subject to such extensions of time as are provided by the General and Special Conditions.

The OWNER agrees to pay the SUPPLIER in current funds the price or prices shown in the proposal, which forms a part of this contract, such payments to be subject to the General and Special Conditions of the contract.

IN WITNESS WHEREOF, the parties to these presents have executed this Agreement in the year and day first above written.

Party of the First Part (OWNER)

Party of the Second Part (SUPPLIER)

ATTECT.

ATTEST

Rural Pipe & Supply P.O. Box 1540 * 809 Visador Rd.

P.O. Box 1540 * 809 Visador Rd. Jasper, TX 75951 (409)384-5800 * (409)384-9363 Fax

BID PROPOSAL Tyler County Water Supply Corporation Water System Improvements

Tommy Shaver Rural Pipe & Supply

Tomy Sharr

BID PROPOSAL Tyler County Water Supply Corporation Water System Improvements

Addendum 1 July 6, 2010

Rural Pipe & Supply RO. Box 1540 309 Visador Road Jasper, Texas 75951 (409) 384-5800

Bidder acknowledges receipt of addenda.

| 1 | Tommy Shaver | |
|--------------|--------------|-----|
| Addendum No. | Signature | ··· |

7-9-10 Date

| ITEM | OTV | UNIT | DESCRIPTION | LINET DDICE | ANGUNT | | | | |
|------|------------------|--------------|--|---------------------|------------------------|--|--|--|--|
| | QTY | L | DESCRIPTION | UNIT PRICE | AMOUNT | | | | |
| WATE | VATER LINE ITEMS | | | | | | | | |
| 1 | 35,000 | LF | Furnish 6" AWWA D2241 SDR 26 PVC water line and lubricant as per pipe manufacturer's recommendation (delivered as instructed) per linear foot | \$_1.88 | \$ 65,800 °C | | | | |
| 2 | 60 | LF | Furnish 10" DR 14 CL 200 C900 PVC water line and lubricant as per pipe manufacturer's recommendation (delivered as instructed) per linear foot | \$ 10.15 | \$_609. <u>00</u> | | | | |
| 3 | 120 | LF | Furnish 4" AWWA D2241 SDR 26 PVC water line and lubricant as per pipe manufacturer's recommendation ((delivered as instructed) per each | \$.96 | \$ 115, ²⁰ | | | | |
| 4 | 2 | EA | Furnish 6" MJ DI 90 deg bend with accessories ((delivered as instructed) per each | \$ 8150 | \$ 163.00 | | | | |
| 5 | 32 | EA | Furnish 6" MJ DI 45 deg bends with accessories (delivered as instructed) per each | \$_72 ¹⁰ | \$ <u>2,307. 20</u> | | | | |
| 6 | 2 | EA | Furnish 6" MJxFE DI tee with accessories (delivered as instructed) per each | \$ <u>114</u> 89 | s 229.78 | | | | |
| 7 | 12 | EA | Furnish 6"x4" FExFE DI tee with accessories (delivered as instructed) per each | \$ 127 75 | \$_ <i>1,533</i> .00 | | | | |
| 8 | 1 | EA | Furnish 6"x4" PExPE DI reducer with accessories (delivered as instructed) per each | \$ _33 00 | \$ <u>33</u> <u>oo</u> | | | | |
| 9 | 3 | EA | Furnish 6x2" stainless steel service saddle (6.625 OD pipe) (delivered as instructed) per each | \$ 104.00 | \$ 312.00 | | | | |
| 10 | 5 | EΑ | Furnish 6" MJ resilient wedge gate valve with accessories (delivered as instructed) per each | \$ 29475 | \$ 1473 75 | | | | |
| 11 | 26 | | Furnish 6" MJxFE resilient wedge gate valve with accessories (delivered as instructed) per each | \$ 294 75 | \$ 7663,50 | | | | |
| 12 | 1 | EA | Furnish 4" MJ resilient wedge gate valve with accessories (delivered as instructed) per each | \$ 2/2 75 | \$ 2/2.75 | | | | |
| 13 | 13 | EA | Furnish 4" MJxFE resilient wedge gate valve with accessories (delivered as instructed) per each | \$ 21275 | \$ <u>2,765.</u> | | | | |
| 14 | 4 | ⊢ Ω 1 | Furnish 1/2" -55 APCO air release valve (delivered as instructed) per each | \$ 100 10 | \$ <u>400,40</u> | | | | |

F.O. Box 1540 S09 Visador Road Jasper, Texas 75951 (409) 384-5800

BID PROPOSAL Tyler County Water Supply Corporation Water System Improvements Addendum 1 July 6, 2010

| ITEM | QTY | UNIT | DESCRIPTION | UNIT PRICE | AMOUNT |
|------|-----|-------|---|-------------------|-----------------------|
| 15 | 4 | EA | Furnish 6"x1/2" stainless steel saddle (delivered as instructed) per each | s 98 70 | \$ 394 80 |
| 16 | 4 | EA | Furnish 1/2" bronze gate valve (delivered as instructed) per each | \$ 3 75 | \$ 15,00 |
| 17 | 3 | EA | Furnish 2" bronze gate valve (delivered as instructed) per each | \$ 19.1 <u>9</u> | \$ <u>57.57</u> |
| 18 | 8 | EA | Furnish 1/2"x close brass nipple (delivered as directed) per each | \$ <u>.90</u> | \$ 7.20 |
| 19 | 6 | EA | Furnish 2"x close brass nipple (delivered as instructed) per each | \$ 5.40 | \$ 32.40 |
| 20 | 1 | EA | Furnish 4" MJxFE DI tee with accessories (delivered as instructed) per each | \$ 80 17 | \$ 80.17 |
| 21 | 10 | EA | Furnish 4" MJ DI 90 deg bends with accessories (delivered as instructed) per each | \$ 5450 | \$ 545,00 |
| 22 | 4 | EΑ | Furnish 4" MJ DI 45 deg bends with accessories (delivered as instructed) per each | \$ 48 50 | \$ 194.00 |
| 23 | 11 | EΑ | Furnish 4" MJ tee with accessories (delivered as instructed) per each | \$ <u>75 75</u> | \$ <u>833, 25</u> |
| 24 | 22 | EA | Furnish 4" mechanical joint restraint gland for PVC pipe with accessories (delivered as instructed) per each | \$ 2450 | \$ 539.00 |
| 25 | 45 | - Δ I | Cast iron Type "A" valve box with lid marked "W" (delivered as instructed) per each | \$ 3050 | \$ 1372 ⁵⁰ |
| 26 | 1 | HA I | 6" Combination Pressure Reducing & Pressure Sustaining Valve (delivered as instructed) per each | \$ <u>2175 °°</u> | \$ <u>2175, 00</u> |
| 27 | 5 | EA | Vault (water box, meter box, pit) minimum 40"Lx30"Wx30"H inside dimensions with lid, as per detail (delivered as instructed) per each | \$ 721 °C | \$ <u>3605.00</u> |
| 28 | 2 | | 6" MJ-Flange adapter kit with accessories(delivered as instructed) per each | s 61.29 | \$ 122. ⁵⁸ |
| 29 | 34 | EA | Roll 3"x1000' Blue, minimum 4 mil thickness, non- detectable underground warning tape. Reads "Caution: Buried Underground Water Line Below" (delivered as instructed) per each | \$_//_ <u>0.0</u> | \$ <u>374</u> @ |
| 30 | 69 | | Roll 500' Any color, 14 ga, solid insulated copper wire (delivered as instructed) per each | \$ 40 00 | \$ <u>2760.</u> |

BID PROPOSAL

Tyler County Water Supply Corporation
Water System Improvements
Addendum 1 July 6, 2010

nutus ripe & Supply RO. Box 1546 809 Visador Road Jasper, Texas 75**951** (409) 384**-5800**

| ITEM | QTY | UNIT | DESCRIPTION | UNIT PRICE | AMOUNT |
|------|-----|------|------------------------|------------|----------|
| | | | | 4 | 1 20 -80 |
| | | | WATER LINE ITEMS TOTAL | \$_90 | 0,125. |

Materials/Equipment

General Contract Conditions

1. Materials and Workmanship

- a) Unless otherwise specifically provided for in the Technical Specifications, all materials and articles utilized in the work shall be new and the best grade available. Where equipment, materials, or articles are referred to in the Technical Specifications as "equal to" any particular standard, the Engineer shall decide the question of equality.
- b) The successful bidder shall furnish to the Grant Recipient for approval the manufacturer's detailed specifications for all mechanical, other special equipment and all materials or articles, together with full information as to type, performance characteristics, and all other pertinent information as required.
- c) Materials specified by reference to the number or symbol of a specific standard, shall comply with requirements in the latest revision thereof and any amendment or supplement thereto in effect on the date of the Invitation for Bids, except as limited to type, class or grade, or modified in the Technical specifications shall have full force and effect as though printed therein.

2. Samples and Tests

- a) Approval of any materials shall be general only and shall not constitute a waiver of the Grant Recipient's right to demand full compliance with Contract requirements. After actual deliveries, the Engineer will have such check tests made as he deems necessary in each instance and may reject materials and equipment and accessories for cause, even though such materials and articles have been given general approval.
- b) Except as otherwise specifically stated in the Contract, the costs of sampling and testing will be divided as follows:
 - The Contractor shall furnish without extra cost, including packing and delivery charges, all samples required for testing purposes, except those samples taken on the project by the Engineer;
 - The Contractor shall assume all costs of re-testing materials which fail to meet contract requirements;
 - The Contractor shall assume all costs of testing materials offered in substitution for those found deficient; and
 - The Grant Recipient will pay all other expenses.

3. Compliance with Air and Water Acts

- a) In compliance with the Clean Air Act, as amended, 41 U.S.C. 7401 et. seq., and the regulations of the Environmental Protection Agency with respect thereto the Contractor agrees that:
 - Any facility to be utilized in the performance of this contract or any subcontract shall not be a facility listed on the EPA List of Violating Facilities pursuant to 40 CFR 15.20.
 - S/he will comply with all requirements of Section 114 of the Clean Air Act, as amended.
- b) Materials shall be free of any hazardous materials, except as may be specifically provided for in the specifications.

4. Equal Employment Opportunity

a) The Contractor will not discriminate against any employee or the applicant for employment because of race, color, religion, sex, or national origin. The Contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment, without regard to their race, color, religion, sex, or national origin. Such action shall include, but not be limited to the following: employment, promotion, demotion, or

transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The Contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the Grant Recipient.

- b) The Contractor will, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, or national origin.
- c) The Contractor will cause the foregoing provisions to be inserted in all subcontracts for any work covered by this contract so that such provisions will be binding upon each subcontractor, provided that the foregoing provisions shall not apply to contracts or subcontracts for standard commercial supplies or raw materials.
- d) The Contractor shall take affirmative actions to ensure equal employment opportunity. The evaluation of the Contractor's compliance with these specifications shall be based upon its effort to achieve maximum results from its actions.
- e) Contractors are encouraged to participate in voluntary associations which assist in fulfilling their affirmative action obligations.
- f) A single goal for minorities and a separate single goal for women have been established. The Contractor, however, is required to provide equal employment opportunity and to take affirmative action for all minority groups, both male and female, and all women, both minority and non-minority.
- g) The Contractor shall not use the goals and timetables or affirmative action standards to discriminate against any person because of race, color, religion, sex, or national origin.
- h) The Contractor shall not enter into any Subcontract with any person or firm debarred from Government contracts.
- i) Nothing herein provided shall be construed as a limitation upon the application of other laws which establish different standards of compliance or upon the application of requirements for the hiring of local or other area residents.

5. Affirmative Action for Handicapped Workers

The Contractor will not discriminate against any employee or applicant for employment because of physical or mental handicap in regard to any position for which the employee or applicant for employment is qualified. The Contractor agrees to take affirmative action to employ, advance in employment and otherwise treat qualified handicapped individuals without discrimination based upon their physical or mental handicap in all employment practices such as the following: employment, promotion, demotion or transfer, recruitment, advertising, layoff or termination, rates of pay or other forms of compensation, and selection for training, including apprenticeship.

- 5. Section 109 of the Housing and Community Development Act of 1974 No person in the United States shall on the ground of race,- color, national origin, or sex be excluded from participation in, be denied the benefits of, or be subjected to discrimination under any program or activity funded in whole or in part with funds made available under this title.
- 6. The Provision of Local Training, Employment, and Business Opportunities
 - a) To the greatest extent feasible opportunities for training and employment be given lower income residents of the project area and contracts for work in connection with the project be awarded to business concerns which are located in, or owned in substantial part by persons residing in the area of the project.
 - b) The Contractor will include this clause in every subcontract for work in connection with the project.

7. Nonsegregated Facilities

The Contractor certifies that he does not maintain or provide for his employees any segregated facilities at any of his establishments, and that he does not permit his employees any segregated

| 2009 TxCDBG Project Implementation Manual | Appendix J | |
|---|------------|--|
| | | |

facilities at any of his establishments, and that he does not permit his employees to perform their services at any location, under his control, where segregated facilities are maintained. The Contractor covenants that he will not maintain or provide for his employees any segregated facilities at any of his establishments, and that he will not permit his employees to perform their services at any location, under his control, where segregated facilities are maintained. As used in this paragraph the term "segregated facilities" means any waiting rooms, work areas, rest rooms and washrooms, restaurants and other eating areas, time clocks, locker rooms and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing facilities provided for employees which are segregated by explicit directive or are in fact segregated on the basis of race, creed, color, or national origin, because of habit, local custom, or otherwise.

8. Liquidated Damages

Since the actual damages for any delay under this contract are impossible to determine, the Contractor and his Sureties shall be liable for and shall pay to the Grant Recipient the sum of (One hundred) Dollars (\$100.00) as fixed, agreed and liquidated damages for each calendar day of delay from the above stipulated time for delivery.

SUPPLEMENTAL GENERAL CONTRACT CONDITIONS FOR MATERIALS

1. Materials to be Delivered on-Site

The materials described in the bid form are to be delivered to the Tyler County WSC at sites designated by the Owner. These sites will be located between Fred and Spurger, Texas, along FM 92. Shipments will be delivered in no fewer than 5 increments at times to be coordinated by Tyler County WSC.

Typical shipments may be structured as follows:

| ITEM | QTY | UNIT | DESCRIPTION |
|------|-------|------|--|
| 1 | 7,880 | LF | Furnish 6" AWWA D2241 SDR 26 PVC water line and lubricant as per pipe manufacturer's recommendation |
| 2 | 60 | LF | Furnish 10" DR 14 CL 200 C900 PVC water line and lubricant as per pipe manufacturer's recommendation |
| 3 | 40 | LF | Furnish 4" AWWA D2241 SDR 26 PVC water line and lubricant as per pipe manufacturer's recommendation |
| 4 | 1 | EA | Furnish 6" MJ DI 90 deg bend with accessories |
| 5 | 12 | ΕA | Furnish 6" MJ DI 45 deg bends with accessories |
| 6 | 1 | EA | Furnish 6" MJxFE DI tee with accessories |
| 7 | 2 | EA | Furnish 6x4" FExFE DI tee with accessories |
| 8 | 0 | EΑ | Furnish 6x4" PExPE DI reducer with accessories |
| 9 | 1 | EΑ | Furnish 6x2" stainless steel service saddle (6.625 OD pipe) |
| 10 | 2 | EA | Furnish 6" MJ resilient wedge gate valve with accessories |
| 11 | 5 | EA | Furnish 6" MJxFE resilient wedge gate valve with accessories |
| 12 | 0 | EΑ | Furnish 4" MJ resilient wedge gate valve with accessories |
| 13 | 3 | EΑ | Furnish 4" MJxFE resilient wedge gate valve with accessories |
| 14 | 1 | EA | Furnish 1/2"-55 APCO air release valve |
| 15 | 1 | EA | Furnish 6"x1/2" stainless steel saddle |
| 16 | 1 | EΑ | Furnish 1/2" bronze gate valve |
| 17 | 1 | EA | Furnish 2" bronze gate valve |
| 18 | 2 | EA | Furnish 1/2"x close brass nipple |
| 19 | 2 | EA I | Furnish 2"x close brass nipple |
| 20 | 1 | EA I | Furnish 4" MJxFE DI tee with accessories |
| 21 | 0 | EA F | Furnish 4" MJ DI 90 deg bends with accessories |

| 22 | 4 | EA | Furnish 4" MJ DI 45 deg bends with accessories |
|----|----|----|--|
| 23 | 1 | EA | Furnish 4" MJ tee with accessories |
| 24 | 2 | EA | Furnish 4" mechanical joint restraint gland for PVC pipe with accessories |
| 25 | 10 | EA | Cast iron Type "A" valve box with lid marked "W" |
| 26 | 0 | EA | 6" Combination Pressure Reducing & Pressure Sustaining Valve Cla-Val 92- 01 (ductile iron body & cover) |
| 27 | 1 | EA | Vault (water box, meter box, pit) minimum 40"Lx30"Wx30"H inside dimensions with aluminum lid, as per detail |
| 28 | 0 | EA | 6" MJ-Flange adapter kit with accessories |
| 29 | 8 | EΑ | Roll 3"x1000" Blue, minimum 4 mil thickness, non-detectable underground warning tape. Reads "Caution: Buried Underground Water Line Below" |
| 30 | 16 | EΑ | Roll 500' Any color, 14 ga, solid insulated copper wire |

| ITEM | QTY | UNIT | DESCRIPTION |
|------|-------|------|--|
| 1 | 7,920 | LF | Furnish 6" AWWA D2241 SDR 26 PVC water line and lubricant as per pipe manufacturer's recommendation |
| 2 | 0 | LF | Furnish 10" DR 14 CL 200 C900 PVC water line and lubricant as per pipe manufacturer's recommendation |
| 3 | 20 | LF | Furnish 4" AWWA D2241 SDR 26 PVC water line and lubricant as per pipe manufacturer's recommendation |
| 4 | 0 | EA | Furnish 6" MJ DI 90 deg bend with accessories |
| 5 | 4 | EA | Furnish 6" MJ DI 45 deg bends with accessories |
| 6 | 0 | EA | Furnish 6" MJxFE DI tee with accessories |
| 7 | 1 | EA | Furnish 6x4" FExFE DI tee with accessories |
| 8 | 0 | EA | Furnish 6x4" PExPE DI reducer with accessories |
| 9 | 0 | EA | Furnish 6x2" stainless steel service saddle (6.625 OD pipe) |
| 10 | 0 | EA | Furnish 6" MJ resilient wedge gate valve with accessories |
| 11 | 2 | EΑ | Furnish 6" MJxFE resilient wedge gate valve with accessories |
| 12 | 0 | EΑ | Furnish 4" MJ resilient wedge gate valve with accessories |
| 13 | 1 | EA | Furnish 4" MJxFE resilient wedge gate valve with accessories |
| 14 | 1 | EA | Furnish 1/2"-55 APCO air release valve |
| 15 | 1 | EA | Furnish 6"x1/2" stainless steel saddle |

| 16 | 0 | EA | Furnish 1/2" bronze gate valve |
|----|----|----|--|
| 17 | n | | |
| | | EA | Furnish 2" bronze gate valve |
| 18 | 2 | EA | Furnish 1/2"x close brass nipple |
| 19 | 0 | EA | Furnish 2"x close brass nipple |
| 20 | 0 | EΑ | Furnish 4" MJxFE DI tee with accessories |
| 21 | 1 | ΕA | Furnish 4" MJ DI 90 deg bends with accessories |
| 22 | 0 | EA | Furnish 4" MJ DI 45 deg bends with accessories |
| 23 | 1 | EA | Furnish 4" MJ tee with accessories |
| 24 | 2 | EA | Furnish 4" mechanical joint restraint gland for PVC pipe with accessories |
| 25 | 3 | ΕA | Cast iron Type "A" valve box with lid marked "W" |
| 26 | 0 | EΑ | 6" Combination Pressure Reducing & Pressure Sustaining Valve Cla-Val 92- 01 (ductile iron body & cover) |
| 27 | 1 | EA | Vault (water box, meter box, pit) minimum 40"Lx30"Wx30"H inside dimensions with aluminum lid, as per detail |
| 28 | 0 | EΑ | 6" MJ-Flange adapter kit with accessories |
| 29 | 8 | EA | Roll 3"x1000" Blue, minimum 4 mil thickness, non-detectable underground warning tape. Reads "Caution: Buried Underground Water Line Below" |
| 30 | 16 | EΑ | Roll 500' Any color, 14 ga, solid insulated copper wire |

| ITEM | QTY | UNIT | DESCRIPTION |
|------|-------|------|--|
| 1 | 7,980 | LF | Furnish 6" AWWA D2241 SDR 26 PVC water line and lubricant as per pipe manufacturer's recommendation |
| 2 | 0 | LF | Furnish 10" DR 14 CL 200 C900 PVC water line and lubricant as per pipe manufacturer's recommendation |
| 3 | 20 | LF | Furnish 4" AWWA D2241 SDR 26 PVC water line and lubricant as per pipe manufacturer's recommendation |
| 4 | 0 | EA | Furnish 6" MJ DI 90 deg bend with accessories |
| 5 | 4 | EΑ | Furnish 6" MJ DI 45 deg bends with accessories |
| 6 | 0 | EA | Furnish 6" MJxFE DI tee with accessories |
| 7 | 4 | EA | Furnish 6x4" FExFE DI tee with accessories |
| 8 | 0 | EA | Furnish 6x4" PExPE DI reducer with accessories |
| 9 | 0 | EΑ | Furnish 6x2" stainless steel service saddle (6.625 OD pipe) |

| | 10 | 0 | EA | Furnish 6" MJ resilient wedge gate valve with accessories |
|----|----|----|----|--|
| | 11 | 8 | EA | Furnish 6" MJxFE resilient wedge gate valve with accessories |
| | 12 | 0 | EA | Furnish 4" MJ resilient wedge gate valve with accessories |
| | 13 | 4 | EA | Furnish 4" MJxFE resilient wedge gate valve with accessories |
| | 14 | 1 | EA | Furnish 1/2"-55 APCO air release valve |
| | 15 | 1 | EA | Furnish 6"x1/2" stainless steel saddle |
| | 16 | 1 | EA | Furnish 1/2" bronze gate valve |
| | 17 | 0 | EA | Furnish 2" bronze gate valve |
| | 18 | 2 | EΑ | Furnish 1/2"x close brass nipple |
| | 19 | 0 | EA | Furnish 2"x close brass nipple |
| 2 | 20 | 0 | EA | Furnish 4" MJxFE DI tee with accessories |
| 2 | 21 | 4 | EΑ | Furnish 4" MJ DI 90 deg bends with accessories |
| 2 | 22 | 0 | EA | Furnish 4" MJ DI 45 deg bends with accessories |
| 2 | 23 | 4 | EA | Furnish 4" MJ tee with accessories |
| 2 | 24 | 8 | EA | Furnish 4" mechanical joint restraint gland for PVC pipe with accessories |
| 2 | 25 | 12 | EΑ | Cast iron Type "A" valve box with lid marked "W" |
| 2 | 26 | 0 | EA | 6" Combination Pressure Reducing & Pressure Sustaining Valve Cla-Val 92-01 (ductile iron body & cover) |
| 2 | .7 | 1 | EΑ | Vault (water box, meter box, pit) minimum 40"Lx30"Wx30"H inside dimensions with aluminum lid, as per detail |
| 2 | 8 | 0 | ΕA | 6" MJ-Flange adapter kit with accessories |
| 25 | 9 | 8 | ĒΑ | Roll 3"x1000' Blue, minimum 4 mil thickness, non-detectable underground warning tape. Reads "Caution: Buried Underground Water Line Below" |
| 30 | 0 | 16 | EΑ | Roll 500' Any color, 14 ga, solid insulated copper wire |
| | | | | |

| ITEM | QTY | UNIT | DESCRIPTION |
|------|-------|------|--|
| 1 | 7,840 | LF | Furnish 6" AWWA D2241 SDR 26 PVC water line and lubricant as per pipe manufacturer's recommendation |
| 2 | 0 | LF | Furnish 10" DR 14 CL 200 C900 PVC water line and lubricant as per pipe manufacturer's recommendation |
| 3 | 20 | LF | Furnish 4" AWWA D2241 SDR 26 PVC water line and lubricant as per pipe manufacturer's recommendation |

| 4 | 0 | EA | Furnish 6" MJ DI 90 deg bend with accessories |
|----|----|---------|--|
| 5 | 8 | EA | Furnish 6" MJ DI 45 deg bends with accessories |
| 6 | 0 | EA | Furnish 6" MJxFE DI tee with accessories |
| 7 | 3 | EA | Furnish 6x4" FExFE DI tee with accessories |
| 8 | 0 | EA | Furnish 6x4" PExPE DI reducer with accessories |
| 9 | 2 | EA | Furnish 6x2" stainless steel service saddle (6.625 OD pipe) |
| 10 | 1 | EA | Furnish 6" MJ resilient wedge gate valve with accessories |
| 11 | 6 | EA | Furnish 6" MJxFE resilient wedge gate valve with accessories |
| 12 | 0 | EA | Furnish 4" MJ resilient wedge gate valve with accessories |
| 13 | 3 | EA | Furnish 4" MJxFE resilient wedge gate valve with accessories |
| 14 | 1 | EA | Furnish 1/2"-55 APCO air release valve |
| 15 | 1 | EA | Furnish 6"x1/2" stainless steel saddle |
| 16 | 1 | EA | Furnish 1/2" bronze gate valve |
| 17 | 2 | EA | Furnish 2" bronze gate valve |
| 18 | 2 | EA | Furnish 1/2"x close brass nipple |
| 19 | 4 | EA | Furnish 2"x close brass nipple |
| 20 | 0 | EA | Furnish 4" MJxFE DI tee with accessories |
| 21 | 3 | EA | Furnish 4" MJ DI 90 deg bends with accessories |
| 22 | 0 | EA | Furnish 4" MJ DI 45 deg bends with accessories |
| 23 | 3 | EA | Furnish 4" MJ tee with accessories |
| 24 | 6 | EA | Furnish 4" mechanical joint restraint gland for PVC pipe with accessories |
| 25 | 10 | EA | Cast iron Type "A" valve box with lid marked "W" |
| 26 | 0 | EA | 6" Combination Pressure Reducing & Pressure Sustaining Valve Cla-Val 92- 01 (ductile iron body & cover) |
| 27 | 1 | EA | Vault (water box, meter box, pit) minimum 40"Lx30"Wx30"H inside dimensions with aluminum lid, as per detail |
| 28 | 0 | EA | 6" MJ-Flange adapter kit with accessories |
| 29 | 8 | EA | Roll 3"x1000' Blue, minimum 4 mil thickness, non-detectable underground warning tape. Reads "Caution: Buried Underground Water Line Below" |
| 30 | 16 | EΑ | Roll 500' Any color, 14 ga, solid insulated copper wire |
| | | <u></u> | |

| ITEM | QTY | UNIT | DESCRIPTION |
|------|-------|------|--|
| 1 | 3,380 | LF | Furnish 6" AWWA D2241 SDR 26 PVC water line and lubricant as per pipe manufacturer's recommendation |
| 2 | 0 | LF | Furnish 10" DR 14 CL 200 C900 PVC water line and lubricant as per pipe manufacturer's recommendation |
| 3 | 20 | LF | Furnish 4" AWWA D2241 SDR 26 PVC water line and lubricant as per pipe manufacturer's recommendation |
| 4 | 1 | EA | Furnish 6" MJ DI 90 deg bend with accessories |
| 5 | 4 | EA | Furnish 6" MJ DI 45 deg bends with accessories |
| 6 | 1 | EΑ | Furnish 6" MJxFE DI tee with accessories |
| 7 | 2 | ΕA | Furnish 6x4" FExFE DI tee with accessories |
| 8 | 1 | EA | Furnish 6x4" PExPE DI reducer with accessories |
| 9 | 0 | EΑ | Furnish 6x2" stainless steel service saddle (6.625 OD pipe) |
| 10 | 2 | ĒΑ | Furnish 6" MJ resilient wedge gate valve with accessories |
| 11 | 5 | EA | Furnish 6" MJxFE resilient wedge gate valve with accessories |
| 12 | 1 | ΕA | Furnish 4" MJ resilient wedge gate valve with accessories |
| 13 | 2 | EA | Furnish 4" MJxFE resilient wedge gate valve with accessories |
| 14 | 0 | ΕA | Furnish 1/2"-55 APCO air release valve |
| 15 | 0 | EA | Furnish 6"x1/2" stainless steel saddle |
| 16 | 0 | EΑ | Furnish 1/2" bronze gate valve |
| 17 | 0 | EΑ | Furnish 2" bronze gate valve |
| 18 | 0 | EA | Furnish 1/2"x close brass nipple |
| 19 | 0 | EA | Furnish 2"x close brass nipple |
| 20 | 0 | EA | Furnish 4" MJxFE DI tee with accessories |
| 21 | 2 | EA | Furnish 4" MJ DI 90 deg bends with accessories |
| 22 | 0 | EA | Furnish 4" MJ DI 45 deg bends with accessories |
| 23 | 2 | EA I | Furnish 4" MJ tee with accessories |
| 24 | 4 | EA | Furnish 4" mechanical joint restraint gland for PVC pipe with accessories |
| 25 | 10 | EA | Cast iron Type "A" valve box with lid marked "W" |
| 26 | 1 | | 5" Combination Pressure Reducing & Pressure Sustaining Valve Cla-Val 92- 01 (ductile iron body & cover) |


| 27 | 1 | EA | Vault (water box, meter box, pit) minimum 40"Lx30"Wx30"H inside dimensions with aluminum lid, as per detail |
|----|---|----|--|
| 28 | 2 | EΑ | 6" MJ-Flange adapter kit with accessories |
| 29 | 3 | EA | Rolf 3"x1000" Blue, minimum 4 mil thickness, non-detectable underground warning tape. Reads "Caution: Buried Underground Water Line Below" |
| 30 | 7 | EA | Roll 500' Any color, 14 ga, solid insulated copper wire |

2. Change in Quantities

Quantities shown within this bid form are based on the construction plans for this project and are not guaranteed. Unforeseen conditions or circumstances as the project is constructed may affect the quantity of materials required. There may be as much a 25% decrease of the total bid amount or a 25% increase of the total bid amount. As a condition of the contract it will be understood that the unit price of each item will remain the same unless the reduction in quantities results in decreasing the total contract amount by 25%.

3. Note Regarding Wage Rate

The successful low bidder can request a classification and rate following awards of the contract or go to http://www.gpo.gov/davisbacon/TX.html for Tyler County wage rates not listed.







MARTIN NASH Commissioner, Pct. 1

JAMES "RUSTY" HUGHES Commissioner, Pct. 2

MIKE MARSHALL Commissioner, Pct. 3

J.A. "JACK" WALSTON Commissioner, Pct 4

JACQUES L. BLANCHETTE County Judge

Mr. Mark R. Vickery, P. G.
Executive Director
Texas Commission on Environmental Quality
MC-109
P. O. Box 13087
Austin, Texas 78711-3087

COPY

Subject: Woodville Renewable Energy Project
Air Quality Permit Number 91823

Dear Mr. Vickery,

Tyler County Commissioners Court takes this opportunity to express support for the East Texas Electric Cooperative's Woodville Renewable Energy Project.

With your commission's approval, we feel secure this project will not pose an adverse effect on our community.

This project offers a boost to our county, creating a substantial number of jobs and adding much needed revenue. The logging industry is a mainstay in our local economy. When in operation, the plant will utilize the left over slag from the logging operations. This residual is a source of wildfire danger, especially since the impact of hurricanes Rita and Ike.

ETEC has been a "good neighbor" in East Texas and we believe they are committed to development of a plant that will enhance our community and state by providing clean, dependable, and renewable energy.

MARTIN NASH Commissioner, Pct. 1

JAMES "RUSTY" HUGHES Commissioner, Pct. 2 MIKE MARSHALL Commissioner, Pct. 3

.A. "JACK" WALSTON Commissioner, Pct. 4

JACQUES L. BLANCHETTE

County Judge

| Publish three times |
|---------------------|
| Newspaper |
| Court Agenda |
| County Clerk |

NOTICE TO BIDDERS

Sealed bids addressed to the County of Tyler to Lease/Purchase the following:

ID# 08032010-02 Kubota, V3800D1-T1 Tractor and Terrain King KB2200 Boom

Will be received in the office of the County Auditor, 100 West Bluff, Room 110, Woodville, Texas, until 10:00 a. m. on September 13, 2010 at which time and place all bids received will be publicly opened.

Information on Bid Specifications may be obtained by contacting Rusty Hughes, Commissioner Pct. 2 at 409-283-7296 between the hours of 8:00-4:30 Mon. – Thurs.

FACSIMILE TRANSMITTALS SHALL NOT BE ACCEPTED.

PLEASE MAKE REFERENCE ON THE FACE OF THE ENVELOPE AS TO ITEM(S) FOR WHICH YOU ARE BIDDING.

Payments will be processed by the County Auditor after notification of satisfactory receipt of items.

Tyler County reserves the right to award by unit cost or lump sum discounted.

Tyler County reserves the right to reject any or all bids and to waive formalities and technicalities to negotiate sale.

JACKIE SKINNER COUNTY AUDITOR TYLER COUNTY, TEXAS

| Publish two times |
|-------------------|
| Newspaper |
| Court Agenda |
| County Clerk |

NOTICE TO BIDDERS

Sealed bids addressed to the County of Tyler for the following:

ID# 08032010-01 Scrap Metal at Pct. 1 Barn

Will be received in the office of the County Auditor, 100 West Bluff, Room 110, Woodville, Texas, until 10:00 a.m. on September 13, 2010, at which time and place all bids received will be publicly opened. **FACSMILIES SHALL NOT BE ACCEPTED.**

Specifications may be secured at the office of the County Auditor.

PLEASE MAKE REFERENCE ON THE FACE OF THE ENVELOPE AS TO ITEM(S) FOR WHICH YOU ARE BIDDING. REMIT SIX COPIES ALONG WITH ORIGINAL BID.

Information may be obtained by contacting Martin Nash, Commissioner Pct. 1 at 409-283-7296. Items may be seen at the Pct. 1 Barn at CR. 4260 Seneca Road Woodville, Tx.

The County reserves the right to award by unit cost or lump sum discounted.

Tyler County reserves the right to reject any or all bids and to waive formalities and technicalities to negotiate sale.

JACKIE SKINNER COUNTY AUDITOR TYLER COUNTY, TEXAS

| | BID SPECIFICATIONS |
|------------------------|--|
| | M108SDSC MID-SIZE TRACTOR |
| | |
| | M108SDSC = 4WD Cab Model with Dual Speed |
| ENGINE: | |
| Make and Model | Kubota, V3800DI-TI (Multi-valve design, 4 valves per cylinder with internal balancers) |
| | Liquid cooled, meets EPA Tier III emission regulations |
| Туре | 4 Cylinder, with CRS, Common Rail Electronic Fuel Injection |
| | Turbo-Charged/Intercooled with Waste Gate Valve |
| Engine hp, gross | 111.5 hp @ 2600 rpm |
| Engine hp, net | 108 hp @ 2600 rpm |
| Engine hp, PTO | 96 hp @ 2600 rpm |
| Maximum torque | 267.8 ft lbs @ 1500 rpm |
| Bore and Stroke | 3.94" x 4.72" |
| Cylinder Block | Linerless |
| Displacement | 230 cubic inch |
| Fuel per hour | 4.35 gal @ 75% load, 5.8 gal at maximum load (Actual may vary) |
| Fan | Direct Drive |
| Air Cleaner Element | Dry Paper / Dual Element with built in Pre-Cleaner |
| Cold Weather Start Aid | Preheats with PTC (Positive Temperature Coefficient) intake heater (no need above 10 degrees C.) |
| Lubrication | Forced lubrication |
| Governor | Ball type governor |
| Injection pump | Inline piston type fuel injection pump |
| Fuel filter system | 1-Water separator with manual drain cock and 1 spin-on fuel filter |
| Oil filter | Spin on oil filter |
| Exhaust | Vertical, Cab corner location is standard |
| Throttle | Hand and foot operated throttle |
| COOLING SYSTEM: | |
| Radiator | Heavy duty pressurized radiator with recovery tank |
| Water pump | Positive water pump |
| | · · · · · · · · · · · · · · · · · · · |
| Fuel Tank | 46.2 gal, (175 Liters) |
| Cooling System | 9.6 qt plus 1.6 qt in Recovery tank = 11.2 qt total |
| Engine Oil | 11.3 qts (10.7 Liters) |
| Transmission | 63.6 qts (15.9 gallon) (60 Liters) |
| Front Axle | 11.1 qts (10.5 Liters) |
| Washer fluid (windows) | 1.4 qts (1.3 Liters) |
| AXLE LOAD RATINGS: Ma | |
| Front Axle | 6,614 lbs (3000kg) |
| Rear Axle | 9,921 lbs (4500 kg) |

| | BID SPECIFICATIONS |
|--|--|
| | M108SDSC MID-SIZE TRACTOR |
| DRIVE TRAIN: | |
| Main Clutch | Hydraulic multi-plate |
| Discs | Metallic, 5.23" diameter (133 mm) 7 discs |
| Shuttle operation | Mechanical linkage to valve |
| Shuttle | Hydraulic Shuttle with left hand shuttle operation |
| Transmission | Swing Shift Plus, has the 4 Speed Fully Synchronized Main Transmission with Swing-Shift Hi/Low 8FX 8R speeds, with a Dual Speed Hi/Low Power Shift to make 16F X 16R speeds, they're doubled to 32FX32R speeds with Auxiliary Range |
| Speeds | 32F x 32R standard (48F x 48R with optional cassette type creep speed) |
| Auxiliary Range | Hi/Low auxiliary range, collar type shift |
| Differential Lock | Front and rear wheels |
| Final drive type | Inboard planetary |
| Brakes | Hydraulic, self adjusting multi-plate wet disc |
| PTO | Live-Hydraulic independent PTO Self modulating engagement, with brake for shaft retention Sixty degree shaft rotation is obtainable for easy hookup, with engine off |
| Standard | 540 rpm @ 2205 rpm, Six spline |
| Optional 540/1000 | 1000 rpm @ 2389 rpm, SAE 21 spline |
| PTO Clutch | Multi-Plate wet clutch pack |
| FRONT AXLE: | |
| Туре | Bevel Pinion (no universal joints) |
| | Final Drive: outboard planetary |
| Steering | Hydrostatic power steering (dedicated steering pump) |
| Drive shaft (4wd) | In line, enclosed splined shaft, no universal joints |
| Clutch 4wd Front Axle | Mechanical engagement |
| Differential Lock | Mechanical engagement, front and rear axles |
| HYDRAULIC SYSTEM: | |
| Туре | Independent open center gear type, 2 pumps mounted on top of transmission |
| Total Pump Output | 29.8 gpm (113 L/min) |
| Remote Output | 17.2 gpm (65.1 L/min)@ 2844 psi |
| | 12.6 gpm (47.7 L/min) |
| Power Steering | |
| | 3 maximum: 1 SCD (self-canceling detent) is Standard 2 Optional or 1 Optional remote valve with a flow control valve |
| Power Steering No. of Remote | 2 Optional or 1 Optional remote valve with a flow control valve |
| Power Steering No. of Remote Spin-On Hyd. Filters | 2 Optional or 1 Optional remote valve with a flow control valve 2 filters on suction side with magnetic filters, and 1 filter on return side |
| Power Steering No. of Remote Spin-On Hyd. Filters THREE POINT HITCH: | 2 Optional or 1 Optional remote valve with a flow control valve 2 filters on suction side with magnetic filters, and 1 filter on return side |
| Power Steering No. of Remote Spin-On Hyd. Filters THREE POINT HITCH: | 2 Optional or 1 Optional remote valve with a flow control valve 2 filters on suction side with magnetic filters, and 1 filter on return side Category II |
| Power Steering No. of Remote Spin-On Hyd. Filters THREE POINT HITCH: 3-Point Hitch Control Method | 2 Optional or 1 Optional remote valve with a flow control valve 2 filters on suction side with magnetic filters, and 1 filter on return side Category II Mechanical engagement |
| Power Steering No. of Remote Spin-On Hyd. Filters THREE POINT HITCH: 3-Point Hitch Control Method Draft Control | 2 Optional or 1 Optional remote valve with a flow control valve 2 filters on suction side with magnetic filters, and 1 filter on return side Category II Mechanical engagement Top link sensing |
| Power Steering No. of Remote Spin-On Hyd. Filters THREE POINT HITCH: 3-Point Hitch Control Method Draft Control Position Control | 2 Optional or 1 Optional remote valve with a flow control valve 2 filters on suction side with magnetic filters, and 1 filter on return side Category II Mechanical engagement Top link sensing Mechanical linkage |
| Power Steering No. of Remote Spin-On Hyd. Filters THREE POINT HITCH: 3-Point Hitch Control Method Draft Control Position Control Mix Control | 2 Optional or 1 Optional remote valve with a flow control valve 2 filters on suction side with magnetic filters, and 1 filter on return side Category II Mechanical engagement Top link sensing Mechanical linkage Position and Draft Mix control for precise settings |
| Power Steering No. of Remote Spin-On Hyd. Filters THREE POINT HITCH: 3-Point Hitch Control Method Draft Control Position Control | 2 Optional or 1 Optional remote valve with a flow control valve 2 filters on suction side with magnetic filters, and 1 filter on return side Category II Mechanical engagement Top link sensing Mechanical linkage |

| | BID SPECIFICATIONS |
|------------------------------|--|
| | M108SDSC MID-SIZE TRACTOR |
| DRAWBAR: | |
| Specifications | Max. Tongue weight 3300 lbs (1500 kg) Dimension 1.50 inch thick x 3.0 inches wide |
| Туре | Swing type |
| Positions | Two positions, 540 rpm PTO at 14" and for the 1000 rpm PTO at 16" (if equipped) per ASAE |
| ELECTRICAL: | |
| System | 12 volt electrical system |
| Battery | 12 volt battery 900 CCA |
| Alternator | 60 amp (80 Amp Optional) |
| INSTRUMENTATION: | |
| Gauges: | Fuel gauge, Temperature gauge |
| | Tachometer and Hourmeter (registers past 10,000 hours) |
| Easy Checker: | Parking brake, Engine oil pressure, Electrical charge, Brake oil, PTO Clutch |
| | Fuel level, and Engine oil pressure |
| | Turn Signal / Hazard indicator |
| | Swing Shift: High (rabbit) and Low (turtle) indicator lights |
| | PTO Clutch |
| SAFETY EQUIPMENT AND | LIGHTS: |
| Cab | Certified ROPS Cab with retractable seat belt and OPC (Operator Presence Control audible alarm for PTO engaged if operator gets off seat, alarm sounds for 10 seconds) |
| Head lights | 2 Head lights with Hi/Low Beam |
| Work Lights | 2 Front and 2 Rear |
| Tail Lights / Flashers | 2 Tail lights and 2 Front, 4 Rear Safety Flashers, Turn Signals |
| Switches | Safety start switches |
| Parking | Parking brake |
| SMV | Slow moving vehicle sign, standard |
| 12 Volt Coupler | 7 Pin Trailer Connector |
| DIMENSIONS: | |
| Height to top of Cab | 106.0 in (2690 mm) |
| Overall Length | 162.0 in (4120 mm) |
| Overall Width | 77.5 in - 93.7 in (1969 - 2380 mm) |
| Wheelbase | 95.9 in (2435 mm) |
| Crop Clearance | 23.2 in (590 mm) |
| Ground Clearance | 17.1 in (435 mm) at drawbar bracket |
| Tread Width Front | 60.2 in - 65.4 in (1530-1660 mm) |
| | Two Positions |
| Rear | 59.1 in. (1500 mm) - 75.3 in. (2015 mm) |
| Turning Radius w/brake | 11.8 ft (3.6m) 4wd engaged |
| without brake | 15.4 ft (4.7m) 4wd engaged |
| Base Weight Set up | 8,642 lbs (3920 kg) w/Cast rear dish |
| Field Ready | 11,856 lbs (5378 kg) |
| TOUR DATING | Field Ready includes 12 front weights and rear tires with calcium @ 3 1/2 lbs = 1,007 lbs ea |
| TOW RATING: | |
| Trailable load, less trailer | 15,432 lbs (7000 kg) |

| | | BID SPECI | FICATIONS | |
|-------------------------|----------------|-----------------------|------------------------------|-------------------------|
| | | | SIZE TRACTOR | |
| TIRES: | 第二条 李维 | TENNE THE PROPERTY. | | Reproductive the second |
| Std Tires Front | <u> </u> | | 13.6R24 Radial | |
| Std Tires Rear | | 18. | 4R34 R1 Radial Cast Iron Ce | enter |
| Optional Tires Rear | | | 18.4R34 Radial, Steel Center | |
| TRAVELING SPEEDS: (at r | ated engine | rpm) | | |
| | Swing Shift | FORWARD OR REVERSE | Dual Speed Hi Side | Dual Speed Lo Side |
| | | 1 | 0.20 | 0.16 |
| | Low | 2 | 0.25 | 0.21 |
| | 1044 | 3 | 0.31 | 0.26 |
| CREEP (IF EQUIPPED) | | 4 | 0.38 | 0.32 |
| | High - | 1 | 0.49 | 0.41 |
| | | 2 | 0.62 | 0.52 |
| | | 3 | 0.77 | 0.64 |
| | <u> </u> | 4 | 0.94 | 0.78 |
| | | | 和京 香藤市 医氯磺胺钠 | |
| • | | 1 | 1.11 | 0.92 |
| | Low | 2 | 1.42 | 1.17 |
| | 1 -0" | 3 | 1.75 | 1.44 |
| Low Range | L | 4 | 2.14 | 1.77 |
| Lon Runge | | 1 | 2.74 | 2.26 |
| | High | 2 | 3.49 | 2.88 |
| | | 3 | 4.29 | 3.55 |
| | | 4 | 5.26 | 4.35 |
| | | 1 1 | 3.89 | 3.21 |
| | Lo | 2 | 4.95 | 4.09 |
| | | 3 | 6.10 | 5.04 |
| High Range | | 4 | 7.47 | 6.18 |
| | | 1 | 9.56 | 7.91 |
| | High | 2 | 12.18 | 10.07 |
| | | 3 | 15.00 | 12.40 |
| | <u> </u> | 4 | 23.35 | 19.38 |



KB2200 BOOM

It is the purpose of this specification to describe a 22' mid-mounted, hydraulically powered boom mower for cutting grass and brush on roadsides and other areas that are not accessible to conventional mowing equipment. The unit bid shall be the manufacturer's current production model that meets or exceeds the following minimum specifications. Only a standard production machine can be bid on these specifications and a supplier will not be allowed to modify its standard production unit in order to meet these specifications.

BASIC FEATURES

- 22' minimum horizontal reach.
- 19' 7" minimum vertical reach.
- 9' 7" below grade reach.
- Two section articulated boom.

BOOM FEATURES & MOUNTING

- Main Boom: 6" x 6" x 14" wall structural tubing conforming to ASTM A-500 Gr. B (58,000 psi min tensile).
- Outer Boom: 5" x 5" x ¼" wall structural tubing conforming to ASTM A-500 Gr. B (58,000 psi min tensile).
- The main boom pivot points shall be reinforced with 34" ASTM A-572 Gr. 50 (65,000 psi min tensile).
- Main pivot pins shall be constructed of 2" ETD 150 alloy steel bar (150,000 psi min tensile/32 Rc min).
- Each pin shall be supported by a pair of 3" hardened steel, greaseable Connex® bushings.
- Standard boom functions shall include horizontal swing, vertical lift, dipper reach, and mower head tilt.
- The boom must swing hydraulically a minimum of 180° from front to rear utilizing a turret-style mechanism.
- The turret shall rotate on a 20" greaseable, slewing ring bearing by means of dual trunnion-style cylinders.
- The tilt mechanism shall feature four-bar linkage to allow for 215° mowing head rotation.
- The tractor mount kit shall feature a subframe spanning from the bolster to the mid-chassis on both sides.
- The subframe shall measure a minimum of 60" long and be constructed from 34" hot-rolled steel plate.
- The mainframe which supports the turret will suspend from the subframe and two tubular, rear axle mounted rails.
- Torsional loading shall be minimized with a cross-brace between the tubular rails and the drawbar mount.
- No framework shall extend above or cross over the hood hindering the operator's line of sight.
- A minimum 2,400 lb counterweight shall be fastened to the mainframe opposite the boom.
- An additional 1,300 lb wheel weight shall be provided as standard equipment.
- A two-piece boom rest structure shall mount to the rear axle to support the weight of the boom in transport.

HYDRAULIC SYSTEM

- Unit shall feature a self-contained hydraulic circuit for both mowing head and boom control.
- Mowing head circuit shall feature a gear-type pump rated at 40 gpm (70 hp) and 3,000 psi @ 2,200 rpm.
- Boom control circuit shall feature a gear-type pump rated at 12 gpm (21 hp) and 3,000 psi @ 2,200 rpm.
- The dual section pump shall be mounted to the front of the tractor and coupled to the engine crankshaft pulley.
- The driveline shall be constructed of 1" SAE 8620 CF allow steel with an external 1"-15 spline on either end.
- The driveline shall be carburized and hardened to Rc 60-62 to .030" deep.
- The hydraulic reservoir shall be front-mounted for improved operator visibility, safety, and operator access.
- The in-tank return filter shall be 10-micron with a 95-GPM full-flow with restriction gauge.
- The suction line filter shall be 100-mesh.
- The hydraulic system shall feature an oil-to-air cooler with integrated electric fan located beyond the reservoir.
- Reservoir shall feature visual indication of tank level and temperature to insure a 20 gallon working volume.
- Convenient access points for draining and cleaning the reservoir shall be provided.
- A heavy duty steel bumper shall provide frontal protection for the reservoir.

HYDRAULIC SYSTEM (continued)

- The cylinder control circuit shall feature a multi-section, electro-hydraulic, directional valve.
- The valve shall be open-center and provide section-specific pressure compensation.
- Valve shall allow a minimum of four functions to be operated simultaneously by joystick control.
- The swing, lift and dipper sections must feature individual work port relief valves for breakaway protection.
- The valve shall be mounted on the oil reservoir and protected by a hinged fiberglass cover.
- All high-pressure hydraulic hoses shall be of four-wire braid construction with a minimum SAE100R12 rating.

OPERATOR PROTECTION & SAFETY

- The mower cutter head shall have a six-second emergency shut down engaged by the operator inside the cab.
- The boom controls shall feature a master ON/OFF switch for complete power shutdown.
- Cab units shall include Shields® Premier 3/8" thick right side replacement polycarbonate windows.
- The replacement windows shall feature Supercoat[™] anti-abrasion coating with integrated UV protection.

TRACTOR SPECIFICATIONS

- Tractor shall weigh a minimum of 8,000 lbs. and have a 95" minimum wheelbase.
- The engine shall produce a minimum of 95 net hp and 84 hp at the auxiliary power take-off.

OPTIONAL EQUIPMENT

- Lever controls in lieu of joystick.
- Rotary head with hydraulic door, 5" diameter cut capacity and swivel hitch post.
- Heavy duty flail with hydraulic door, 4" diameter cut capacity and swivel hitch post.
- Saw head with 4" diameter cutting capacity.
- Quick hitch for easy cutting head exchange.

WARRANTY

There shall be a one year parts and labor warranty. Non-governmental users are subject to modified policy. Only Terrain King (OEM) parts may be used for warranty replacement.

PRODUCT LIABILITY INSURANCE

Choose the term that relates directly to your specific bidding situation. Please note that it is the dealer's responsibility to use the correct verbiage for the bid type. **DO NOT USE BOTH.**

Individual Agency Bids

Bidders must include a copy of mowing equipment manufacturer's Certificate of Insurance for Product Liability of at least \$5,000,000 for the products subject to its bid. The insurance carrier is to be rated "A, VII" or higher by the A.M Best insurance rating service.

Multi-Unit DOT Bids

The successful vendor will provide a copy of moving equipment manufacturer's Certificate of Insurance of at least \$5,000,000 for Product Liability for the products subject to its bid naming the Agency as an additional insured party. The insurance carrier is to be rated "A, VII" or higher by the A.M. Best insurance rating service.



1502 E. Walnut St., Seguin, TX 78155 800-882-5756 800-882-5758 fax www.terrainking.com boom@terrainking.com oemparts@terrainking.com

LINEBARGER GOGGAN BLAIR & SAMPSON, LLP

ATTORNEYS AT LAW
1316 S. JOHN REDDITT DR., STE. A (75904)
P. O. BOX 151704 (75915-1704)
LUFKIN, TEXAS

936/639-5040 FAX 936/639-5059

July 15, 2010

Honorable Jacques Blanchette Tyler County Judge 100 W. Bluff Woodville, Texas 75979 JUL 1 9 2010

BY:

for counsel as to "HOW" the court should handle.

RE: Re-sale Of Warren Independent School District and Woodville Independent School District Trust Property

Dear Judge Blanchette:

In accordance with the Resolution Concerning "The Resale Of Tax Properties", we advertised the property referenced above, currently being held in trust by Warren Independent School District and Woodville Independent School District, in the Tyler County Booster on two consecutive weeks; and on June 29, 2010 we opened the bids submitted to the Tyler County tax office on these properties.

The names and addresses of the highest bidders are listed on the "Schedule of Distribution" attached to this letter. I ask that you present these bids to the Commissioners for their consideration.

Once action has been taken, please inform me of the decision in writing so that I may take the next appropriate action. Thank you in advance for making sure that these bids are placed on the agenda for consideration. Please feel free to contact me should you have any questions concerning these properties or the bids.

Very truly yours,

John F. Manuel, Jr. Attorney at Law

JM/wjd Attachments

| Style & Suit #: | Tyler CAD and T | yler County vs. | Carl Richard | Gober et al | | |
|---------------------------|------------------------------------|-----------------|---------------------------------------|-------------|---------------|-------------|
| | CA-B1880 | | | | | |
| Date of Tax Sale: | ;29-Jun-10 | | | | | |
| Property Description: | North 1/2 of 28.3 | ac. More or Les | ss, situated in | the Jane T | aylor League, | Abstract 33 |
| Account Number: | R-017231 | | | | | |
| CAD Value: | \$29,000 | | | | | <u> </u> |
| Bidder: | Rose Stewart | | | | | |
| | 1854 CR 4259 Woodville, TX 75 | 979 | | 1 | 1 | |
| Amount of Judgment | \$18,192.23 | <u> </u> | | | | |
| Amount of Bid: | \$500 | | | | | |
| Costs of Suit & Sale: | -\$827 | | , , , , , , , , , , , , , , , , , , , | | | |
| Balance applied to taxes: | \$0 | | | | | |
| Recovery: | | : | | | | : |
| Jurisdiction | %of Judgment | Actual Recov | ery | | | |
| Tyler County | : | | | | | |
| Woodville ISD | | | T | | : | |
| Total: | 0.00% | \$0.00 | | | | |

| Style & Suit #: | 'Tyler CAD and Tyler County vs. Carold R. England aka Carol Royce England |
|---------------------------|---|
| | CA B-2172 |
| Date of Tax Sale: | ;29-Jun-10 |
| Property Description: | Lots 21, 22, 23 & 24, Blk 9, Town Bluff Lakes Subdivison |
| Account Number: | IR-030301 |
| CAD Value: | :\$4,050 |
| Bidder: | Gerard Solovzano |
| | 6015 Winsome Lane #55 Houston, TX 77057 |
| Amount of Judgment | \$9,894 |
| Amount of Bid: | \$4,050 |
| Costs of Suit & Sale: | -\$914 |
| Balance applied to taxes: | \$3,136 |
| Recovery: | |
| Jurisdiction | % of Judgment Actual Recovery |
| Tyler County | 32.11% \$1,009.00 |
| Woodville ISD | 67.89% \$2,127.00 |
| Total: | 100.00% \$3,136.00 |

| Style & Suit #: | Tyler County et al vs. Celia Baldwin |
|---------------------------|---------------------------------------|
| | ICA B-2191 |
| Date of Tax Sale: | :29-Jun-10 |
| | |
| Property Description: | 2 ac. More or less, AA Foster Survey |
| | |
| Account Number: | R026435 |
| | |
| | ! |
| CAD Value: | \$39,170 |
| CAD value. | 1409,170 |
| l Bidder: | C. L. Larkin & Barbara Baldwin Larkin |
| | P.O. Box 521 |
| | Hillister, TX |
| | |
| Amount of Judgment | \$12,808 |
| | |
| Amount of Bid: | \$14,103 |
| 0 | 0070 |
| Costs of Suit & Sale: | -\$979 |
| Balance applied to taxes: | \$13,124 |
| Dalance applied to taxes. | \$ (3, 124 |
| Recovery: | |
| Jurisdiction | % of Judgment Actual Recovery |
| Tyler County | 24.45% \$3,209.00 |
| Woodville ISD | 75.55% \$9,915.00 |
| | |
| Total: | 100.00% \$13,124.00 |

Ţ

| Style & Suit #: | Tyler County et a | al vs. Veronica I Rig | gsby aka Ver | nocia Rigsby B | rooks |
|---------------------------|-----------------------|-----------------------|---|---------------------------------------|------------------|
| | CA B-2309 | | | | |
| Date of Tax Sale: | 29-Jun-10 | | | | |
| | <u> </u> | | <u></u> | <u> </u> | |
| Property Description: | Lots 39 & 40, Blk | 131, Lake Tristan, | Section 3 | · · · · · · · · · · · · · · · · · · · | |
| Account Number: | R-055916 | | | | |
| CAD Value: | \$6,750 | | | | |
| Bidder: | Gerard Solovzano | | | | |
| | 6015 Winsome Lane #55 | | | | |
| | Houston, TX 7705 | 57 | | | |
| Amount of Judgment | \$8,680 | | | | |
| Amount of Bid | \$5,000 | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | |
| Costs of Suit & Sale: | -\$771 | | | | |
| Balance applied to taxes: | \$4,229 | | | | |
| Recovery: | | - | | | |
| Jurisdiction | % of Judgment | Actual Recovery | | | |
| Tyler County | 32.49% | \$1,374.00 | | | ·-·· |
| Woodville ISD | 67.51% | \$2,855.00 | | | |
| Total: | 100.00% | \$4,229.00 | - : | - 47 707 | |

| Style & Suit #: | Tyler County et al | vs. Mary Beth Adkinso | n et al |
|---------------------------|--------------------|-----------------------|---------|
| | CA-B2486 | | |
| Date of Tax Sale: | :29-Jun-10 | | |
| Property Description: | Lot 221, Galahad I | Estates, Section One | |
| Account Number: | R-027728 | | |
| CAD Value: | \$25,980 | | |
| Bidder: | Sundie Purcell | | |
| | 250 Lady Georgia | | |
| | Woodville, TX 759 | 79 | |
| Amount of Judgment | \$3,089.59 | | |
| Amount of Bid: | \$3,952.31 | | |
| Costs of Suit & Sale: | -\$629.53 | | |
| Balance applied to taxes: | \$3,323 | | |
| Recovery: | | | |
| Jurisdiction | %of Judgment | Actual Recovery | |
| Tyler County | 38.78% | \$1,289.00 | |
| Warren ISD | 61.22% | \$2,034.00 | |
| Total: | 100.00% | \$3,323.00 | |

| Style & Suit #: | Tyler County et al vs. Timberland Dev. Co/ | | | | | |
|---------------------------|--|--------------------------|--|--|--|--|
| | CA B-1890 | | | | | |
| Date of Tax Sale: | 29-Jun-10 | | | | | |
| | · - | | | | | |
| Property Description: | Lots 42 and 43, lv | anhoe Estates, Section 2 | | | | |
| A | ID 000474 | <u> </u> | | | | |
| Account Number: | R-008174 | | | | | |
| CAD Value: | \$4,500 | | | | | |
| Bidder: | ∷ ∣Gary L. Faul | | | | | |
| | 2411 Post Oak La | ine | | | | |
| | Groves, TX 77619 |) : | | | | |
| Amount of Judgment | \$6,773.85 | | | | | |
| Amount of Bid: | \$5,201 | | | | | |
| Costs of Suit & Sale: | - \$ 677 | | | | | |
| Balance applied to taxes: | \$4,524 | | | | | |
| Recovery: | | | | | | |
| Jurisdiction | % of Judgment | Actual Recovery | | | | |
| Tyler County | 30.07% | \$1,362.00 | | | | |
| Warren ISD | 69.93% | \$3,162.00 | | | | |
| Total: | 100.00% | \$4,524.00 | | | | |

| Style & Suit #: | Warren ISD and Tyler County vs. Timberlakes Dev. Co. | | | | |
|---------------------------|--|-------------------|---------------------------------------|--|--|
| | √CA-B-2179 | | | | |
| Date of Tax Sale: | 29-Jun-10 | | : | | |
| | : | | | | |
| Property Description: | Lot 70, Blk 103, L | ake Galahad, Sect | ion 7 | | |
| | i | | | | |
| Account Number: | R-008958 | | | | |
| CAD Value: | \$11,210 | | : : | | |
| | | | | | |
| Bidder: | David F. Rader & | | | | |
| | 11121 Avering La | ne | | | |
| | Austin, TX 78754 | | <u> </u> | | |
| A | | | | | |
| Amount of Judgment | \$4,393.86 | | 1 | | |
| Amount of Bid: | \$1,410 | | | | |
| Costs of Suit & Sale: | -\$53 | | | | |
| Balance applied to taxes: | \$1,357 | | | | |
| Recovery: | | | | | |
| Jurisdiction | % of Judgment | Actual Recovery | | | |
| Tyler County | 34.91% | \$474.00 | · · · · · · · · · · · · · · · · · · · | | |
| Warren ISD | 65.09% | \$883.00 | | | |
| Total: | 100.00% | \$1,357.00 | | | |

| Style & Suit #: | Tyler County et al | vs. Harold Self et a | ıl |
|---------------------------|--|---------------------------------------|--|
| | CA-B-2276 | · · · · · · · · · · · · · · · · · · · | |
| Date of Tax Sale: | 29-Jun-10 | | |
| | | <u> </u> | |
| Property Description: | Lot 203, Blk 101, I | _ake Charmaine Se | ection 7A |
| | : - <u> </u> | · · · · · · · · · · · · · · · · · · · | · - · · · · · · · · · · · · · · · · · · |
| Account Number: | R-008735 | | |
| CAD Value: | \$1,500 | | |
| CAD Value. | ÷ φ1,500 | | |
| Bidder: | Gerard Soloranzo | <u>.i.</u> | |
| Diddo. | 6015 Winsome La | ine #55 | |
| | Houston, TX 7705 | | |
| | | | |
| Amount of Judgment | \$404.63 | | |
| | 10700 | | |
| Amount of Bid: | \$700 | | |
| Costs of Suit & Sale: | -\$304 | | <u></u> . |
| Obsta of built & built. | Ψου- | | |
| Balance applied to taxes: | \$396 | | |
| Recovery: | | ! | |
| Jurisdiction | % of Judgment | Actual Recovery | |
| Tyler County | 40.43% | \$160.00 | |
| Warren ISD | 59.57% | \$236.00 | |
| | | | |
| Total: | 100.00% | \$396.00 | |

| Style & Suit #: | Tyler County et al | Tyler County et al vs. Harold Self et al | | | | |
|---------------------------|---------------------|--|--|--|--|--|
| | CA-B-2276 | | | | | |
| Date of Tax Sale: | 29-Jun-10 | | | | | |
| Property Description: | Lot 204, Blk 101, L | ake Charmaine, Section 7A | | | | |
| Account Number: | R-008736 | | | | | |
| CAD Value: | \$1,500 | | | | | |
| Bidder: | Gerard Soloranzo | | | | | |
| | 6015 Winsome Lar | ne #55 | | | | |
| | Houston, TX 77051 | | | | | |
| Amount of Judgment | 382.33 | | | | | |
| Amount of Bid: | \$700 | | | | | |
| Costs of Suit & Sale: | -\$304 | | | | | |
| Balance applied to taxes: | \$396 | | | | | |
| Recovery: | | : | | | | |
| Jurisdiction | % of Judment | Actual Recovery | | | | |
| Tyler County | 37.52% | \$149.00 | | | | |
| Warren ISD | 62.48% | \$247.00 | | | | |
| Total: | 100.00% | \$396.00 | | | | |

| Style & Suit #: | Tyler County et a | al vs. Charles V. Vest | |
|---------------------------|--------------------|------------------------|--|
| | CA-B2461 | | |
| Date of Tax Sale: | 29-Jun-10 | | |
| Property Description: | Lot 12, Blk 1, Wi | ldwood Restort City | |
| Account Number: | R-019354 | | |
| CAD Value: | \$9,290 | | |
| Bidder: | Charles D. & Bor | nnie C. Colfins | |
| | 118 White Oak | | |
| | Village Mills, Tex | as 77663 | |
| Amount of Judgment | \$8,997.14 | | |
| Amount of Bid: | \$3,010 | | |
| Costs of Suit & Sale: | -\$503 | | |
| Balance applied to taxes: | \$2,507 | | |
| Recovery: | | | |
| Jurisdiction | % of Judgment | Actual Recovery | |
| Tyler County | 28.42% | \$712.00 | |
| Warren ISD | 71.58% | \$1,795.00 | |
| Total: | 100.00% | \$2,507.00 | |

| Style & Suit #: | Tyler County et al vs. Owens J. Davillier | | | |
|---------------------------|---|---------------------------------------|---------------------------------------|--|
| | CA-B2346 | | | |
| Date of Tax Sale: | '29-Jun-10 | | ! | |
| Property Description: | 20 acres more o | r less, Lewis Thunar | Survey, Abstract 636 | |
| Account Number: | R009406 & R058 | B947 | | |
| | | | <u> </u> | |
| Bidder: | Gerard Soloranz | 0 | | |
| | 6015 Winsome Lane #55 | | | |
| | Houston, TX 770 | 51 | | |
| Amount of Judgment | \$26,067.19 | | | |
| Amount of Bid: | \$5,000 | | | |
| Costs of Suit & Sale: | -\$556 | | | |
| Balance applied to taxes: | \$4,444 | | | |
| Recovery: | R009406 | | | |
| Jurisdiction | % of Judgment | Actual Recovery | | |
| Tyler County | 78% of 33% | \$1,143.89 | i | |
| Warren ISD | 42.00% | \$1,866.48 | | |
| Total: | | \$3,010.37 | | |
| | <u>'</u> | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | |
| Recovery: | R058947 | R058947 | | |
| Jurisdiction | % of Judgment | Actual Recovery | | |
| Tyler County | 22% of 33% | \$322.63 | | |
| Woodville ISD | 25.00% | \$1,111.00 | | |
| Total: | , | \$1,433.63 | <u> </u> | |



TYLER COUNTY COMMISSIONERS COURT

County Courthouse, Room 102 / Woodville, Texas

Tuesday **August 3, 2010**9:00AM

MARTIN NASH Commissioner, Pct. 1 RUSTY HUGHES Commissioner, Pct. 2 JACQUES L. BLANCHETTE County Judge MIKE MARSHALL, Commissioner, Pct. 3 JACK WALSTON Commissioner, Pct. 4

NOTICE Is hereby given that a *Special Meeting* of the Tyler County Commissioners Court will be held on the date stated above, at which time the following subjects will be discussed;

Agenda

"the wisdom to know what's right and the courage to do it"

| > | <i>CA</i> • | | TO ORDER ablish quorum |
|-------------|----------------|----|--|
| | I. | CO | ONSIDER/APPROVE: |
| W | / ~ | A. | TAB 1 Award bid for the Materials and Equipment for Tyler County 2008 CD Block Grant TXCDBG #728410 – Jackie Skinner, Auditor Just a Juny (Tylenter) Runal Pape & Supply 96, 25 4 |
| W/ | H | В. | TAB 1 Award Bid for the Boring Contract for Tyler County 2008 CD Block Grant TXCDBC #728410 – Jackie Skinner, Auditor Immor & March 1997 |
| 4/ | Ú | C. | TAB 2 Letter of Support for East Texas Electric Cooperative Woodville Renewable Energy Project – M. Nash |

E. TAB 3 Go out for bid on Kubota, V3800D1-T1 tractor and Terrain King KB2200 Boom – R. Hughes lust puches property

D. Go out for bids to get rid of scrap metal at Pct. 1 barn - M. Nash

F. / TAB 4 Re-sale of Warren Independent School District and Woodville Independent School District Trust Property – John P. Manuel, Jr. with Linebarger Goggan Blair & Sampson, LLP

| yw. | I do hereby certify that posted a true and corre | ling part-time employees to T.C.D.R.S. that meet the criteria - Sharon Fuller, Treasurer have 10 employees - have not heard from Robot Wallarca Ch/culations - Jue Smith to add interest on a daily as to deficiency since 2005. In - letters send to part-time employees once apleulations make - have a deadline for Seat I to have the calulations make - Waltar - have led to revisit 15 Am the above Notice of Meeting of the Tyler County Commissioners Court is a true and correct copy of said Notice and that I to copy of said Notice at the Tyler County Courthouse in a place readily accessible to the general public at all times and ed so posted continuously for at least 72 hours preceding the scheduled time of said meeting, as is required by Section |
|-----|--|---|
| | Executed on | 2010 Time |
| | Donece Gregory, | County Clerk/Ex Officio Member of Commissioners Court |
| | By: | (Deputy) |

TYLER COUNTY COMMISSIONERS COURT

County Courthouse, Room 102 / Woodville, Texas

Tuesday August 3, 2010 9:00AM

MARTIN NASH Commissioner, Pct. 1

RUSTY HUGHES Commissioner, Pct. 2 JACQUES L. BLANCHETTE County Judge

MIKE MARSHALL Commissioner, Pct. 3

JACK WALSTON Commissioner, Pct. 4

NOTICE Is hereby given that a Special Meeting of the Tyler County Commissioners Court will be held on the date stated above, at which time the following subjects will be discussed;

Agenda

"the wisdom to know what's right and the courage to do it"

CALL TO ORDER

Establish quorum

I. CONSIDER/APPROVE:

- A. Award bid for the Materials and Equipment for Tyler County 2008 CD Block Grant TXCDBG #728410 - Jackie Skinner, Auditor
- B. Award Bid for the Boring Contract for Tyler County 2008 CD Block Grant TXCDBG #728410 Jackie Skinner, Auditor
- C. Letter of Support for East Texas Electric Cooperative Woodville Renewable Energy Project –
- D. Go out for bids to get rid of scrap metal at Pct. 1 barn M. Nash
- E. Go out for bid on Kubota, V3800D1-T1 tractor and Terrain King KB2200 Boom R. Hughes
- F. Re-sale of Warren Independent School District and Woodville Independent School District Trust Property - John P. Manuel, Jr. with Linebarger Goggan Blair & Sampson, LLP
- G. Enrolling part-time employees to T.C.D.R.S. that meet the criteria Sharon Fuller, Treasurer

> ADJOURN

I do hereby certify that the above Notice of Meeting of the Tyler County Commissioners Court is a true and correct copy of said Notice and that I posted a true and correct copy of said Notice at the Tyler County Courthouse in a place readily accessible to the general public at all times and that said Notice remained so posted continuously for at least 72 hours preceding the scheduled time of said meeting, as is required by Section 551.002 & 551.041.

Executed on _

2010 Time 8: 15 Am

Donece Gregory, County Clerk/Ex Officio Member of Commissioners Court

By: Wand Muito (Deputy)